

# A-FLO

EQUIPMENT

## 2026 GENERAL RANGE CATALOGUE



MAKING EVERY DROP COUNT

ultraflo



GRACO

# Welcome to A-FLO EQUIPMENT

A-FLO Equipment is a trusted Australian family-owned company with over 30 years in business. We specialise in General Range, Workshop Fitouts & Installations, Tanks & Systems, and Service & Maintenance.

Renowned for exceptional customer service and high-quality products, our experienced sales and technical team delivers innovative, cost-effective, and reliable solutions across a wide range of industries.



**GENERAL RANGE  
PRODUCTS**



**WORKSHOP FITOUTS  
& INSTALLATIONS**



**TANKS  
& SYSTEMS**



**SERVICE &  
MAINTENANCE**

## Our Brands

ultraflo



PIUSI

GRACO

bluequip

compac



FILL-RITE

FLOMAX  
INTERNATIONAL

GESPASA  
FLUID TECHNOLOGY



LUBESKID

BUNDBOX

LUBESTORE  
RECYCLABLE CONCENTRATED DISPENSING SOLUTION

FUELTAINER

GENCUBE

FUELCUBE®

FUELTRANS®

FUELBOX

LEVELTRACK<sup>360</sup>

FLUIDTRACK

FLUIDLINK®

FLUIDLEV

and more...

# TABLE OF CONTENTS

<b>OIL EQUIPMENT &amp; ACCESSORIES</b>	<b>5-14</b>
ULTRAFLO Hand Operated Oil Pumps	5
ULTRAFLO Spring Operated Oil Pumps	5
ULTRAFLO Lever Action Oil Drum Pumps	5
ULTRAFLO Standard Rotary Barrel Pumps	5
ULTRAFLO Heavy Duty Rotary Barrel Pumps	5
EZI-Action Drum Pumps	6
Level Gauges	6
Air Operated Oil Pumps	6
Oil Distribution Kits	6-7
RAASM IBC Kits	7
RAASM Diaphragm Pumps	7
Oil Reels	7-8
Oil Control Guns	8-9
Oil Transfer Accessories	9-10
Waste Oil Drainers	10-11
Oil Filter Crushers	11
Oil Equipment Accessories	12-13
Oil Distribution Kits	14
<b>GREASE EQUIPMENT &amp; ACCESSORIES</b>	<b>15-26</b>
Hand Operated Grease Guns	16
Hand Air Operated Grease Guns	17
Hand Operated Bulk Grease Pumps	17
Air Operated Grease Pump Kits	17-18
Grease Gun Couplers & Flex Hoses	18
Grease Nipples	19
Grease Gun Accessories	19-20
Auto Lubrication Systems & Fittings	20-25
Hose Reels	25
Air Operated Pump Kits	26
<b>DIESEL EQUIPMENT &amp; ACCESSORIES</b>	<b>27-37</b>
Hand Operated Diesel Transfer Pumps	28
Electrically Operated Diesel Transfer Pumps	28
Explosion Proof Refuelling Pumps & Kits	29-30
Diesel Flow Meters	30-31
Hose Reels	31
Fuel Nozzles & Swivels	31-32
Fuel Tank Fittings & Accessories	33-34
Bowsers & Fuel Management Systems	34-35
Petrol Driven & Diesel Driven Transfer Pumps	35
Filters	36
Polycube Tanks	36
Petrolbox ULP	37
Level Indicators	37
Fuel Management System	37
Fuel Gloves	37

<b>ADBLUE EQUIPMENT &amp; ACCESSORIES</b>	<b>38</b>
Multi-Purpose Rotary Drum Pump	39
Gravity Feed Kits	39
Pumps & Kits	39-41
Nozzles	41
Flow Meters	42
Accessories	42
Hose Reels	42
Poly Tanks	43
Level Indicators & Alarms	43
<b>AIR &amp; WATER EQUIPMENT</b>	<b>44</b>
Mini Sprayers	45
Rotary Pumps	45
Water Valves	45
Hose Reels	45
<b>SPECIALTY REELS</b>	<b>46</b>
RAASM Air & Water Reels	46
RAASM 240V Electric Cable Reels	46
<b>WORKSHOP EQUIPMENT &amp; ACCESSORIES</b>	<b>48</b>
Trolleys	49
Dollies	49
Spill Pallets	49-50
Liquid Adhesives	50
Drum Wrenches	50
Drum Cradles	50
Oil Absorbent & Pads	51
Spill Kits	51

**Bulky Item\*** Products labelled as Bulky Items are subject to additional freight charges



SHOP ONLINE

Scan the QR code, or visit [aflo.com.au/login](https://aflo.com.au/login)

DISCLAIMER: Although every care is taken to ensure accuracy & completeness in compiling this data, no liability can be accepted by A-FLO Equipment Pty Ltd for damage or loss caused by any errors or omissions in the information given, either directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from A-FLO Equipment Pty Ltd. E & O E.

Version date: March 2026



K&S Freighters - Workshop Fitout

ULTRAFLO

ultraflo

### Hand Operated 20L Oil Pump

- Easy downstroke displacement
- High quality components to ensure smooth pump action
- Telescopic extension
- Approx. 14 strokes per litre
- Ideal pump for the transfer of engine, gear, diff & hydraulic oils



**AF-AP-1335**  
20L Oil Pump without Hose

**AF-AP-1336B**  
20L Oil Pump with Hose

**AF-AP-1337B**  
20L Oil Pump with hose & 7 Drum Adaptor

**AF-AP-1338**  
20L ATF Pump with Hose

ULTRAFLO

ultraflo

### Hand Operated 60L Oil Pump

- Easy downstroke displacement
- High quality components to ensure smooth pump action
- Telescopic extension
- Approx. 14 strokes per litre
- Ideal pump for the transfer of engine, gear, diff & hydraulic oils



**AF-AP-1324**  
60L Oil Pump without Hose

**AF-AP-1325**  
60L Oil Pump with Hose

**AF-AP-1328**  
60L ATF Pump with Hose

ULTRAFLO

ultraflo

### Spring Operated Oil Pump

- Spring operated pump with lever action oil control valve
- 1.5m of Anti Kink Hose
- Provides an economical, efficient solution for mechanics to perform oil changes rapidly



**AF-AP-520H**  
20L Oil Pump with Hose

**AF-AP-560H**  
60L Oil Pump with Hose

ULTRAFLO

ultraflo

### Lever Action Oil Drum Pump

- Lightweight aluminium construction
- Approx. 3 strokes per litre
- Telescopic suction pipe
- 2" bung thread
- Suitable for 60L or 205L drums



**AF-AP-1316**  
60-205L Lever Action Oil Pump

ULTRAFLO

ultraflo

### Standard Rotary Barrel Pump

- Solid cast iron construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adaptor
- Suitable for most motor oils & diesel
- Not recommended for petrol or gear oil



**AF-AP-2220**  
205L Rotary Oil Pump

**AF-AP-2220H**  
205L Rotary Oil Pump, Hose, Nozzle

ULTRAFLO

ultraflo

### Heavy Duty Rotary Barrel Pump

- Solid aluminium construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adaptor
- Suitable for petrol, diesel & motor oils



**AF-AP-1321**  
HD 205L Rotary Oil Pump

**AF-AP-1321H**  
HD 205L Rotary Oil Pump, Hose, Nozzle

**Ezi-Action**

**Drum Pump**

- Output per stroke 20L 160mL
- Output per stroke 205L & 1000L 400mL
- Delivers on the up & down stroke
- Superior chemical resistance & anti-corrosion technology
- The only serviceable hand pump in the world, which acts to extend its lifespan
- Not suitable for solvent based products


**AF-EZ-25/5**

Ezi-Action 25L Drum Pump

**AF-EZ-205/550**

Ezi-Action 205L Drum Pump

**AF-EZ-1000/220**

Ezi-Action 1000L IBC Drum Pump with 4 Adaptors

**ULTRAFLO**

**Oil Drum Level Gauge**

- Unique mechanical measuring gauge showing the fluid level in a 205L Drum
- Fits the standard 3/4" bung opening
- Suitable for oil, diesel, petrol, water, coolant, ATF, waste oil & some chemicals
- Allows for easy & simple stock keeping
- Made in Europe


**AF-FG-205**

205L Drum Level Gauge

**RAASM**
**1:1 Ratio Pump**

- Flow Rates: up to 40 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 3/4" BSP(f)
- Ideal for low viscosity transfer of fluids such as oil, waste oil, antifreeze & coolant


**AF-RA-33071**

RAASM 1:1 Ratio Stub Pump

**AF-RA-33073**

RAASM 1:1 Ratio 205L Drum Pump

**RAASM**
**3:1 Ratio Pump**

- Flow Rate: up to 14 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 1/2" BSP(f)
- For medium size workshops which may involve multiple hose reels with manual & metered guns


**AF-RA-35161**

RAASM 3:1 Ratio Stub Pump

**AF-RA-35196**

RAASM 3:1 Ratio 205L Drum Pump

**RAASM**
**5:1 Ratio Pump**

- Flow Rate: up to 18 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 1/2" BSP(f)
- For large size workshops which may involve multiple hose reels with manual & metered guns


**AF-RA-36061**

RAASM 5:1 Ratio Stub Pump

**AF-RA-36096**

RAASM 5:1 Ratio 205L Drum Pump

**RAASM**
**205L Oil Distribution Kit**

- RAASM 3:1 or 5:1 Ratio Drum Pump
- 4m Hose Kit
- Manual or metered oil control gun
- 1/4" Air Regulator


**AF-0A205K1**

3:1 Manual Oil Distribution Kit

**AF-0A205K2**

5:1 Manual Oil Distribution Kit

**AF-0A205K3**

3:1 Metered Oil Distribution Kit

**AF-0A205K4**

5:1 Metered Oil Distribution Kit

**RAASM**

**205L Mobile Oil Distribution Kit**

- Mobile Trolley Kit
- 3:1 or 5:1 Ratio Pump
- 4m x 1/2" Distribution Hose
- Manual or metered oil control gun
- Note: 205L drum not included

**Bulky Item\***



**AF-OAMTK1**  
3:1 Mobile Trolley Kit Manual Gun

**AF-OAMTK2**  
5:1 Mobile Trolley Kit Manual Gun

**AF-OAMTK3**  
3:1 Mobile Trolley Kit Metered Gun

**AF-OAMTK4**  
5:1 Mobile Trolley Kit Metered Gun

**RAASM**

**205L Mobile Oil Distribution Kit with Hose Reel**

- Mobile Trolley Kit
- 3:1 or 5:1 Ratio Pump
- 10m x 1/2" Hose Reel
- Manual or metered oil control gun
- Note: 205L drum not included

**Bulky Item\***



**AF-OAMTKR1**  
3:1 Mobile Trolley Kit with Hose Reel Manual Gun

**AF-OAMTKR2**  
5:1 Mobile Trolley Kit with Hose Reel Manual Gun

**AF-OAMTKR3**  
3:1 Mobile Trolley Kit with Hose Reel Metered Gun

**AF-OAMTKR4**  
5:1 Mobile Trolley Kit with Hose Reel Metered Gun

**RAASM**

**Side Mounted IBC Kit**

- RAASM 3:1 or 5:1 Ratio Pump
- Front mount bracket
- 4m x 1/2" Oil Delivery Hose
- Manual or metered oil control gun
- IBC Suction Kit with adaptor
- Note: IBC not included



**AF-OAIBCS1**  
RAASM 3:1 Ratio IBC Kit with Manual Gun

**AF-OAIBCS2**  
RAASM 5:1 Ratio IBC Kit with Manual Gun

**AF-OAIBCS3**  
RAASM 3:1 Ratio IBC Kit with Metered Gun

**AF-OAIBCS4**  
RAASM 5:1 Ratio IBC Kit with Metered Gun

**RAASM**

**Top Mounted IBC Kit**

- RAASM 3:1 or 5:1 Ratio Pump
- IBC top mount bracket
- 10m x 1/2" hose reel
- Manual or metered oil control gun
- Optional extra: Drip Tray
- Note: IBC not included



**AF-OAIBCTR1**  
RAASM 3:1 Ratio IBC Kit with Manual Gun

**AF-OAIBCTR2**  
RAASM 5:1 Ratio IBC Kit with Manual Gun

**AF-OAIBCTR3**  
RAASM 3:1 Ratio IBC Kit with Metered Gun

**AF-OAIBCTR4**  
RAASM 5:1 Ratio IBC Kit with Metered Gun

**RAASM**

**Diaphragm Pumps**

- Exceptional quality & performance
- Self-priming
- 10 year warranty
- Suitable for oil, waste oil, coolant & diesel



**AF-RA-3C1/1666VNHH**  
RAASM 3/4" Series Cataphoresis Diaphragm Pump 70 LPM

**AF-RA-3C1/2611NHH**  
RAASM 1" Series Aluminium Diaphragm Pump 170 LPM

**AF-RA-3C1/2666VNHH**  
RAASM 1" Series Cataphoresis Diaphragm Pump 170 LPM

**RAASM**

**440 Series Oil Reels**

- Unique smooth & trouble-free operation
- Equipped with 0.6m connection hose
- Bracket enables easy installation (option of swivel or fixed)
- In position, it can freely turn 55° left & right
- 1/2" BSP (f) inlet & 1/2" BSP (m) outlet connection
- Pressure rating: 150Bar



**AF-RA-9440.401**  
RAASM 440 Series Oil Reel 10m x 1/2" ID Hose

**AF-RA-9440.402**  
RAASM 440 Series Oil Reel 15m x 1/2" ID Hose

**RAASM**


### 430 Series Oil Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6m connection hose
- 1/2" BSP (f) inlet & 1/2" BSP (m) outlet connection
- Pressure rating: 150Bar
- Carbon steel swivel



**AF-RA-8430.401**  
RAASM 430 Series Oil Reel 10m x 1/2" ID Hose

**AF-RA-8430.402**  
RAASM 430 Series Oil Reel 15m x 1/2" ID Hose

**RAASM**


### Manual Oil Gun

- Aluminum & cast alloy control valves for engine & gear oils including a high flow non drip nozzle
- Max. pressure: 70 Bar
- 1/2" BSP (f) swivel
- Flow Rates: up to 40 LPM



**AF-RA-38022**  
RAASM Manual Oil Gun, Flexible Outlet

**PIUSI**


### K40 Mechanical Metered Oil Gun

- Easy to reset
- No calibration required
- Partial & full totaliser
- Non-resettable totaliser
- Bursting pressure: 210 Bar
- Max flow rate: 30 LPM
- Max pressure: 70 Bar (994 PSI)
- 1/2" (f) BSP Swivel inlet
- ±1% Accuracy



**AF-FP-973020**  
K40 Mechanical Metered Gun, Flexible Spout

**RAASM**


### Digital Metered Oil Gun

- 1/2" Inlet swivel joint with filter
- Flexible extension with semi-automatic nozzle
- Premium oil gun with non-resettable totaliser
- Suitable for flow rates up to 40 LPM



**AF-RA-37758**  
RAASM Digital Metered Oil Gun, Flexible Outlet

**ULTRAFLO**


### Metered Oil Control Gun

- Flow Rate: 1-30 LPM
- 1/2" BSP (f) Swivel
- ±0.5% Accuracy
- Battery Powered CR123A
- Manufactured in Germany
- Totaliser & resettable total
- Flexible outlet



**AF-A-102111B**  
ULTRAFLO Metered Oil Control Gun, Flexible Outlet

**A-FLO**


### Digital Metered Oil Gun

- Double Totaliser
- Easy to Calibrate
- Electronic Reset Function
- IP65 Protection
- Low Battery Consumption
- Flowrate: up to 30 LPM
- Accuracy: ±0.5% Accuracy
- Operating pressure: 70 BAR
- Viscosity: up to 2000 CST



**AF-FP-984330**  
A-FLO Digital Metered Oil Gun, Flexible Outlet

ULTRAFLO



**Preset Electronic Metered Oil Gun**

- Pre-select: up to 999L
- Two programmable preset volumes
- Large easy to read display
- ±0.5% Accuracy
- Flow Rate: 1-30 LPM
- 1/2" BSP (f) inlet
- Flexible outlet



**AF-A-102109B**  
ULTRAFLO Electronic Preset Meter, Flexible Outlet

ULTRAFLO



**Multi-Purpose Bottle Pump**

- 1L capacity, 500mm long PVC hose & spout
- Ideal for topping up difficult to access oiling points in the workshop or garage
- Self-contained preventing oil contamination whilst not in use
- Applications: agricultural, earthmoving, industrial, mining, transport, workshops & service garages



**AF-AP-8100**  
1L Multi-Purpose Bottle Pump

ULTRAFLO



**Oil Measuring Jug**

- Plastic measuring jug
- Flexible delivery spout
- Hinged protection lid
- Makes topping up of fluids easy & convenient



**AF-AP-2348**  
1L Measuring Bottle with Flexible Outlet

**AF-AP-3348**  
2L Measuring Bottle with Flexible Outlet

**AF-AP-4348**  
3L Measuring Bottle with Flexible Outlet

**AF-AP-5348**  
5L Measuring Bottle with Flexible Outlet

ULTRAFLO



**Oil Bottle**

- Available in 1L Multi-Purpose Oil Bottles
- Re-usable oil bottle provides environmentally friendly means of dispensing oil
- Non-breakable impact resistant materials
- Weights & measures approved
- Comes with pourer & cap or can be purchased separately
- Available in Red, Black & Green



**AF-OB-1000-BLK**  
1L Multi-Purpose Oil Bottle (Black)

**AF-OB-1000-RED**  
1L Multi-Purpose Oil Bottle (Red)

**AF-OB-1000-GRE**  
1L Multi-Purpose Oil Bottle (Green)

A-FLO



**5L Drum with Stumpy Spout**

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 5L Lubesmart Drum, Stumpy Spout Lid
- 10 colours available



**AF-LS-1005SP-\***  
LUBESMART 5L Oil Jug w/ Stumpy Spout Lid

A-FLO



**10L Drum with Hand Pump**

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 10L Lubesmart Drum, Utility Lid & Hand Pump
- Hand pump ideal for hard to reach places & pumping applications like gearboxes
- 10 colours available



**AF-LS-1010P-\***  
LUBESMART 10L Oil Jug w/ Utility Lid & Pump

**ULTRAFLO**



**Polyethylene Funnel**

- Made of high density polyethylene
- Suitable for all oils & fuels
- High flow rate
- Easy to clean & maintain



**AF-AP-7238**  
1.3L Capacity Polyethylene Funnel - 160mm

**AF-AP-8238**  
2L Capacity Polyethylene Funnel - 195mm

**AF-AP-9238**  
3L Capacity Polyethylene Funnel - 235mm

**AF-AP-0238**  
3.2L Capacity Polyethylene Funnel - 250mm

**AF-AP-5338**  
4L Polyethylene Chemical & Oil Resistant

**AF-AP-6238**  
1.0L Black Polyethylene Funnel with Flexible and Retractable Spout - 145mm

**OILSAFE**



**10L Drum with Hand Pump**

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 10L Oilsafe Drum, Utility Lid & Hand Pump
- Hand pump ideal for hard to reach places & pumping applications like gearboxes
- 10 colours available



**AF-OS-101010P-\***  
10L Oil Jug with Utility Lid & Hand Pump

**OILSAFE**



**5L Drum with Stumpy Spout**

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 5L Oilsafe Drum, Stumpy Spout
- 10 colours available



**AF-OS-101005S-\***  
5L Oil Jug with Stumpy Spout

**ULTRAFLO**



**Manual Waste Oil Extractor**

- 6.5L capacity
- Supplied with 3 suction probes (5.9mm, 6.9mm & 9.9mm OD)
- Simple hand pump creates suction to extract the fluid



**AF-AP-MW0E6.5**  
6.5L Manual Waste Oil Extractor

**ULTRAFLO**



**Manual Oil Suction Gun**

- 500cc capacity
- Ideal for the draining & filling of diffs, gear boxes & engine blocks
- 2 year Warranty



**AF-AP-5010**  
ULTRAFLO Manual Oil Suction Gun

RAASM

### Mobile Waste Oil Drainer

- Anti-splash screen filter
- Removable tool tray
- Available in 65L, 80L & 90L capacity
- Drain bowl capacity of 15L
- Level Indicator with scale in litres & gallons



**AF-RA-42065**

65L Mobile Waste Oil Drainer

**AF-RA-42085**

80L Mobile Waste Oil Drainer

**AF-RA-42090**

90L Mobile Waste Oil Drainer

RAASM

### Mobile Waste Oil Drainer & Extractor

- Anti-splash screen filter
- Removable tool tray
- Available in 65L & 90L capacity
- Drain bowl capacity of 15L
- Level Indicator in litres & gallons
- Supplied with 6 probes



**AF-RA-44060**

65L Mobile Combination Oil Suction & Drainer Unit

**AF-RA-44090**

90L Mobile Combination Oil Suction & Drainer Unit

RAASM

### Low Level Floor Waste Oil Drainer

- Wheel mounted floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters
- Ideal for a busy workshop environment



**AF-RA-42069**

RAASM Heavy Duty 50L Low Level Drainer

**AF-RA-42072**

RAASM Heavy Duty 95L Low Level Drainer

**AF-RA-42075**

RAASM Heavy Duty 150L Low Level Drainer

ULTRAFLO

### Low Level Floor Waste Oil Drainer

- Wheel mounted floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters
- Ideal for a busy workshop environment



**AF-AP-5427**

ULTRAFLO Standard 68L Low Level Drainer

**AF-AP-6427**

ULTRAFLO Standard 95L Low Level Drainer

GRAY

### Automotive Oil Filter Crusher

- Extracts up to 95% of used oil from the filter
- Interlocking feature prevents door from opening until the ram is fully retracted
- 100% Air operated - ensures maximum efficiency for the crushing of the oil filter
- Mounting stand included



Bulky Item\*

**AF-GM-QP-50**

GRAY Automotive Oil Filter Crusher

GRAY

### Truck Oil Filter Crusher

- Extracts up to 95% of used oil from the filter
- Interlocking feature prevents door from opening until the ram is fully retracted
- 100% Air operated - ensures maximum efficiency for the crushing of the oil filter
- Mounting stand included



Bulky Item\*

**AF-GM-QP-160**

GRAY Air Operated Filter Crusher

**RAASM**

**4-Way Evacuation Valve**

- 4-Directional Control Valve used to simplify the filling & emptying of tanks
- Simplifies installation by eliminating need for multiple valves
- Unrestricted flow, no pressure or volume loss
- Two position tank fill & emptying control
- Provide a professional look, reduces pipework & installation time



**AF-RA-38131**  
RAASM 1" BSP (f) 4-Way Evacuation Valve

**AF-RA-38132**  
RAASM 1 1/2" BSP (f) 4-Way Evacuation Valve

**RAASM**

**Oil Bar**

- Tap closes automatically when lever is released
- Oil Dispensing Bar for up to 3 products
- Digital meter not included



**AF-RA-37690**  
RAASM Oil Bar with 1 Tap

**AF-RA-37689**  
RAASM Oil Bar with 2 Tap

**AF-RA-37688**  
RAASM Oil Bar with 3 Tap

**AF-RA-37692**  
RAASM Extra Valve Tap

**ULTRAFLO**



**Inline Digital Meter**

- Robust aluminium construction
- Easy to read & resettable
- 2 year average battery life (battery CR123A)
- Flow Rates: up to 30 LPM
- Max. Pressure: 100 bar
- Accuracy: ± 0.5% of reading



**AF-A-102100B**  
ULTRAFLO 1/2" Inline Digital Oil Meter

**RAASM**

**Oil Dispensing Valve**

- The valve is mounted directly onto the pump outlet
- To be used for filling oil jugs & bottles
- Oil Dispensing Valve only - 3/4" connection thread



**AF-RA-37683**  
Oil Dispensing Valve - 3/4" Connection Thread

**A-FLO**



**High Level Oil Tank Alarm**

- Suitable for steel or plastic tanks
- Suitable for oil, diesel & water
- High power alarm sounder 97dB at 1M
- Flashing light on top of unit
- Mute button stops the sounder & light still flashes
- Float switch supplied with 5m cable
- 2 year battery life, if tested weekly with no alarms



**AF-HFE-HLA001**  
A-FLO High Level Diesel/Oil Alarm

**A-FLO**



**Inline Pressure Relief Valve**

- Adjustable between 5-50Bar (73-725 PSI)
- M/F hydraulic connections inlet & outlet
- Non-directional (flow either direction)
- Drain connection 1/4" BSP (f) - 8mm hose tail included



**AF-ST-PRV12**  
1/2" Pressure Relief Valve Body & Cartridge



**A-FLO**

**Air Regulator**

- Supply clean & compressed air to equipment
- Maintain steady outlet pressure
- Die Cast Aluminium



**AF-PS-REG-02**  
1/4" Air Regulator Gauge

**AF-PS-REG-04**  
1/2" Air Regulator Gauge

**AF-PS-FRE-02**  
1/4" Air Filter Regulator & Gauge

**AF-PS-FRE-04**  
1/2" Air Filter Regulator & Gauge

**AF-PS-FRL-02**  
1/4" Air Filter Regulator & Lubricator

**AF-PS-FRL-04**  
1/2" Air Filter Regulator & Lubricator

**A-FLO**

**Self Bunded Unitanks Oil/Diesel**

- Complete with 4 entry ports, a level gauge & a leak detection sensor between the inner & outer skin
- Blow-moulded, high density polyethylene inner tank
- Forkliftable
- Base clamp brackets included



**AF-EM-7620**  
620L Unitank (750L x 690W x 1651H)

**AF-EM-7381**  
750L Unitank (1000L x 760W x 1370H)

**AF-EM-7382**  
1000L Unitank (1100L x 705W x 1610H)

**AF-EM-7539**  
1500L Unitank (1650L x 755W x 1870H)

**Custom Made New Oil Tanks**

A-FLO's Heavy Duty Bulk Oil Tanks provide an excellent solution to replace drums or IBC's & bring a professional & clean look to your workshop. Whether it be for new oil, coolant or waste oil.

We can customise Bulk Oil Tanks to suit your workshop.

**Features & Benefits**

- Spill box with lid (self bunded tanks only)
- Tank fitted with Fill Point, Breathers & Dipstick
- Forkliftable
- Powder coated finish (custom colours available)



# Oil Distribution Kits



We have the Oil Distribution Kits to increase your workshop efficiency & effectiveness.

These kits are ideal for small to medium size workshops looking to upgrade from hand pumps but also covers larger workshops that have additional 205L Oil Drums that need catering for.



HD 3 Wheel 205L Drum Trolley (AF-AP-1305)



HD Drum Dolly (AF-AP-2325)



430 Series Reel (AF-RA-8430.402)

## Specifications

3:1 Ratio Drum Pump - 14 LPM

5:1 Ratio Drum Pump - 18 LPM

Metered Oil Gun (Accuracy  $\pm 0.5\%$ )

## Part No. Description

AF-0A205K1	RAASM 3:1 Kit Includes: 3:1 Drum Pump, 4m Hose & Manual Oil Gun
AF-0A205K2	RAASM 5:1 Kit Includes: 5:1 Drum Pump, 4m Hose & Manual Oil Gun
AF-0A205K3	RAASM 3:1 Kit Includes: 3:1 Drum Pump, 4m Hose & Metered Oil Gun
AF-0A205K4	RAASM 5:1 Kit Includes: 5:1 Drum Pump, 4m Hose & Metered Oil Gun



JJs Dandenong - Workshop Fitout

ULTRAFLO

ultraflo

### Standard Duty Lever Action Grease Gun

- Complete with a rigid outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI



**AF-AP-1142-450**  
Standard Lever Action Grease Gun - 450g

ULTRAFLO

ultraflo

### Standard Pistol Grip Grease Gun

- Complete with a 300mm flexible outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI



**AF-AP-1152-450**  
Standard Pistol Grip Grease Gun - 450g

A-FLO

A-FLO  
EQUIPMENT

### Heavy Duty Lever Action Grease Gun

- Professional grease gun for industrial applications
- Develops 10,000 PSI  
Robust Aluminum die cast grease gun head & filler
- Rigid Outlet with pro 4 jaw coupler



**AF-UF-L450**  
HD Lever Action Grease Gun - 450g

ULTRAFLO

ultraflo

### Heavy Duty Variable Pistol Grip Grease Gun

- Ergonomic one hand grease gun
- Unique variable stroke for both high pressure & high volume applications
- Complete with 300mm flexible outlet & pro 4 jaw coupler
- Develop grease pressures up to 8000 PSI



**AF-UF-P450**  
HD Variable Pistol Grip Grease Gun - 450g

ULTRAFLO

ultraflo

### Speedy Grease Gun

- Operating pressure: up to 11,200 PSI
- 2.5cc of grease per stroke
- Fitted with 60kg magnet
- 800mm flexible hose extension with grease coupler



**AF-SGS-450**  
Speedy Grease Gun - 450g

ULTRAFLO

ultraflo

### Air Operated Grease Gun

- High pressure delivery performance of up to 3800 PSI
- Continuous grease flow operation
- Complete with rigid outlet & 4 jaw coupler



**AF-AP-1161**  
Air Operated Grease Gun - 450g

ULTRAFLO



### Hand Operated Bucket Grease Pump

- Robust construction
- Complete with universal follower plate
- Easy to use grease filling solution to load bulk or combination grease guns



**AF-UF-GFP-20**  
Hand Operated Bucket Pump - 20kg

ULTRAFLO



### 2.5kg Mini Hand Operated Grease Pump Kit

- Foot operated spring plunger
- 3m of high pressure hose & hand piece for high pressure & high volume applications
- Delivers up to 10,000PSI



**AF-AP-2290**  
Mini Grease Pump Kit - 2.5kg

ULTRAFLO

### Air Operated Grease Pump Kit

- Your cost effective & dependable solution to easier greasing of plant & equipment
- The ULTRAFLO Kit is in for the long haul & will withstand all you throw at it plus it is sure to meet your budget
- 58:1 Ratio High Pressure Pump
- Kit complete with pump, follower plate, drum cover, 4m hose & grease gun with Z swivel
- 20kg and 180kg options available



**AF-AE-KP7247PZ**  
58:1 Ratio Grease Pump Kit - 20kg

**AF-AE-KP7294SCZ**  
58:1 Ratio Grease Pump Kit - 180kg

RAASM

### 50:1 Ratio Air Operated Grease Kit

- Kit complete with pump, follower plate, drum cover, 4m hose & grease gun with Z swivel
- 50:1 Ratio Pump
- Your heavy duty & ever reliable solution
- Available in 20kg, 60kg & 180kg options



**AF-RA-64031**  
RAASM 50:1 Ratio Air Operated Grease Kit - 20kg

**AF-RA-64145**  
RAASM 50:1 Ratio Air Operated Grease Kit - 60kg

**AF-RA-64195**  
RAASM 50:1 Ratio Air Operated Grease Kit - 180kg

**ULTRAFLO**



### Grease Pump Trolley Kit

- Increases the efficiency in your busy workshop with an easy to use mobile grease trolley distribution kit
- These grease trolleys allow great flexibility to move your drums around the workshop with ease
- 58:1 high pressure grease pump



**AF-O-MTKG2**  
ULTRAFLO Grease Pump Trolley Kit 4m Hose - 180kg

**AF-O-MTKG1R**  
ULTRAFLO Grease Pump Trolley Kit 10m Reel - 180kg

**RAASM**



### 50:1 Grease Trolley Distribution Kit

- Increases the efficiency in your workshop with an easy to use mobile grease trolley distribution kit
- These grease trolleys allow great flexibility to move your drums around the workshop with ease
- 50:1 high pressure grease pump
- Heavy duty, 10 year warranty



**AF-OAMTKG3**  
RAASM Mobile Grease Trolley Kit, 4m Hose - 180kg

**AF-OAMTKG3R**  
RAASM Mobile Grease Trolley Kit, 12m Reel - 180kg

**ULTRAFLO**



### Quick Release Grease Coupler

- No leakage
- No lever needed
- Quick grip onto any sized nipple
- Allows both hands for grease gun operation
- Maximum pressure 15,000 PSI
- 1/8" BSP (f) thread or NPT thread



**AF-UC-2020**  
ULTRAFLO Quick Release Grease Coupler c/w Relief Valve

**AF-UC-2020-NPT**  
A-FLO Quick Release Grease Coupler c/w Relief Valve - NPT

**AF-UC-2121**  
ULTRAFLO Quick Release Grease Coupler

**AF-UC-2121-NPT**  
A-FLO Quick Release Grease Coupler - NPT

**ULTRAFLO**



### Heavy Duty Grease Gun Extension

- Quality German construction
- Suitable for hand or air operated equipment
- Working Pressure: 5800PSI
- Burst Pressure: 13,750PSI



**AF-UF-GH300**  
ULTRAFLO 300mm HD Grease Gun Extension

**AF-UF-GH450**  
ULTRAFLO 450mm HD Grease Gun Extension

**AF-AP-1210C**  
ULTRAFLO Rigid Extension with Coupler

**ULTRAFLO**



### Heavy Duty 4 Jaw Grease Coupler

- Hardened body that withstands high pressure without deformation
- Hexagonal nut for easy tightening
- 4 jaw coupler with 1/8" BSP or NPT thread
- Easy on & off long life coupler



**AF-UF-HC4J**  
ULTRAFLO Heavy Duty 4 Jaw Grease Coupler

**AF-UF-HC4J-NPT**  
A-FLO Heavy Duty 4 Jaw Grease Coupler - NPT



**ULTRAFLO**



**Needle Nose Dispenser**

- Dispenses a controlled, fine line of grease for accurate application
- Narrow design enables easy access to fittings in tight or inaccessible areas



**AF-UF-NND013**  
Needle Nose Dispenser 1/8" BSP

**AF-UF-PNND05**  
Narrow Needle Nose Dispenser 1/8" BSP

**RAASM**



**Grease Gun & Z-Swivel**

- Ergonomic design
- 1/4" BSP(f) inlet thread
- Available with flexible or rigid extension



**AF-RA-66889**  
RAASM Grease Gun with Z Swivel

**AF-AE-S14Z**  
RAASM Standard 1/4" BSP Z Swivel

**ULTRAFLO**



**Remote Grease Anchor Blocks**

- T-drilled install the grease straight or 90 degrees to the grease nipple.
- Supplied without 1/8" BSP Straight grease nipples



**AF-LC-99-RGB1**  
1 point 10 x 1 Grease Block

**AF-LC-99-RGB2**  
2 point 10 x 1 Grease Block

**AF-LC-99-RGB3**  
3 point 10 x 1 Grease Block

**AF-LC-99-RGB4**  
4 point 10 x 1 Grease Block

**AF-LC-99-RGB5**  
5 point 10 x 1 Grease Block

**AF-LC-99-RGB6**  
6 point 10 x 1 Grease Block


**AF-LC-99-RGB8**  
8 point 10 x 1 Grease Block

**ULTRAFLO**



**Remote Grease Anchor Blocks with Grease Nipples**

- T-drilled install the grease straight or 90 degrees to the grease nipple.
- Supplied with 1/8" BSP Straight grease nipples



**AF-LC-99-RGB1-C**  
1 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB2-C**  
2 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB3-C**  
3 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB4-C**  
4 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB5-C**  
5 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB6-C**  
6 point 10 x 1 Grease Block with 1/8" BSP Nipples

**AF-LC-99-RGB8-C**  
8 point 10 x 1 Grease Block with 1/8" BSP Nipples

ULTRAFLO



### Nylon Tube Semi-Rigid

- 25m x 6mm high pressure nylon grease hose
- Suitable for 6mm push in grease fitting connectors



**AF-LC-99-PT25M**

25m x 6mm High Pressure Tube - Empty

**AF-LC-99-PT100M**

100m x 6mm High Pressure Tube - Empty

**AF-LC-99-PT25MGF**

25m x 6mm High Pressure Tube - Grease Filled

**AF-LC-99-PT100MGF**

100m x 6mm High Pressure Tube - Grease Filled

ULTRAFLO



### Straight Compression Connector

- Suits 6mm hose



**AF-LC-99-C6M**

6mm x 6mm Straight Connector

**AF-LC-99-C6MSS**

6mm x 6mm Stainless steel Straight Connector

ULTRAFLO



### 90 Degree Compression Fitting

- Suits 6mm hose
- 90 degree fitting



**AF-LC-99-CF906M**

90deg M6/1 x 6mm

**AF-LC-99-CF906MSS**

M6 x 6mm Stainless Steel

**AF-LC-99-CF908M**

M8/1 x 6mm Stainless Steel

**AF-LC-99-CF908MSS**

M8x1 x 6mm Stainless Steel

**AF-LC-99-CF9010M**

M10/1 x 6mm

**AF-LC-99-CF9010MSS**

Male Connector 90deg Elbow Stainless Steel

**AF-LC-99-CF901/8**

1/8 BSP x 6mm

**AF-LC-99-CF901/8SS**

1/8 BSP x 6mm Stainless Steel

ULTRAFLO



### Straight Compression Fitting

- Suits 6mm hose



**AF-LC-99-SCF6M**

M6/1 x 6mm

**AF-LC-99-SCF6MSS**

M6/1 x 6mm Stainless Steel

**AF-LC-99-SCF8M**

M8/1 x 6mm

**AF-LC-99-SCF8MSS**

M8/1 x 6mm Stainless Steel

**AF-LC-99-SCF10M**

M10/1 x 6mm

**AF-LC-99-SCF10MSS**

Male Connector Straight 6mm Stainless Steel

**AF-LC-99-SCF1/8**

1/8 BSP x 6mm

**AF-LC-99-SCF1/8SS**

1/8 BSP x 6mm Stainless Steel

**AF-LC-99-SCF1/4**

1/4 BSP x 6mm

**ULTRAFLO**



**Push in Straight Connector**

- Suits 6mm hose
- Push-in fitting



**AF-LC-99-PISC6M**  
M6/1 x 6mm

**AF-LC-99-PISC8M**  
M8/1 x 6mm

**AF-LC-99-PISC10M**  
M10/1 x 6mm

**AF-LC-99-PISC1/8**  
1/8 BSP x 6mm

**AF-LC-99-PISC1/8NPT**  
1/8 NPT x 6mm

**AF-LC-99-PISC1/4UNF**  
1/4 UNF x 6mm

**ULTRAFLO**



**Push in 90 Degree Connector**

- Suits 6mm hose
- Push-in fitting
- 90 degree fitting



**AF-LC-99-PIEC906M**  
M6/1 x 6mm

**AF-LC-99-PIEC908M**  
M8/1 x 6mm

**AF-LC-99-PIEC9010M**  
M10/1 x 6mm

**AF-LC-99-PIEC901/8**  
1/8 BSP x 6mm

**AF-LC-99-PIEC901/8NPT**  
1/8 NPT x 6mm

**ULTRAFLO**



**Push in 90 Degree Swivel Connector**

- Suits 6mm hose
- Push-in fitting
- 90 degree Swivel fitting



**AF-LC-99-PISWC906M**  
M6/1 x 6mm

**AF-LC-99-PISWC908M**  
M8/1 x 6mm

**AF-LC-99-PISWC9010M**  
M10 x1 x 6mm tube Push-in fitting

**AF-LC-99-PISC901/8**  
1/8 BSP x 6mm

**AF-LC-99-PISC901/8NPT**  
1/8 NPT x 6mm

**AF-LC-99-PISC901/4UNF**  
1/4 UNF x 6mm

**ULTRAFLO**



**Push in Straight Connector**

- Suits 6mm hose
- Push-in fitting



**AF-LC-99-PIC6M**  
6mm x 6mm

**ULTRAFLO**

**Straight Adaptor**



**AF-LC-98-04011600106**  
M8/1M x M10/1M (23mm)

**AF-LC-98-04011600206**  
M10/1M x M10/1M (18mm)

**AF-LC-98-04011600306**  
1/8 BSP M x M10/1M (18mm)

**AF-LC-98-04011600506**  
M6/1M x 1/8 (24mm)

**AF-LC-98-04011600606**  
M10/1M x M10/1M (50mm)

**AF-LC-98-04011600706**  
M10/1M x M10/1M (35mm)

**AF-LC-98-04011600806**  
M8/1M x M8/1M (35mm)

**AF-LC-99-A14X18S20**  
1/4 BSP M x 1/8 BSP (M10) M (20mm)



**AF-LC-98-04011601006**  
1/4 BSP M x 1/8 BSP (M10) M (23mm)

**AF-LC-98-04011601106**  
1/4 BSP M x 1/8 BSP (M10) M (55mm)

**AF-LC-98-04011601206**  
1/4 BSP M x 1/8 BSP (M10) M (26mm)

**AF-LC-98-04011601306**  
1/4 UNEF M x 1/8 BSP (M10) M (24mm)

**AF-LC-98-04011601406**  
1/4 UNF M x 1/8 BSP (M10) M (24mm)

**AF-LC-40-C4668D**  
1/8 BSPM x 1/8BSPF - 1/2" Long Extension

**AF-LC-40-C4668E**  
1/8 BSPM x 1/8BSPF - 1" Long Extension

**AF-LC-40-C4668J**  
1/8 BSPM x 1/8BSPF - 1.5" Long Extension

**AF-LC-40-C4668K**  
1/8 BSPM x 1/8BSPF - 1 3/4" Long Extension

**AF-LC-40-C4668L**  
1/8 BSPM x 1/8BSPF - 2" Long Extension

**ULTRAFLO** 

### 45 Degree Adaptor



- AF-LC-99-A451/8**  
1/8 BSPM x 1/8 BSPF
- AF-LC-98-100210095**  
M6/1M x M8/1F
- AF-LC-98-100210085**  
M8x1/1 Male x M8/1

**ULTRAFLO** 

### 90 Degree Adaptor



- AF-LC-99-A901/8**  
1/8 BSPM x 1/8 BSPF
- AF-LC-98-100210032**  
1/4 UNFM / 1/8 BSPF
- AF-LC-98-100210010**  
M6/1M x M10/1F
- AF-LC-98-100210020**  
M8x1/1M x 1/8 BSPF

**ULTRAFLO** 

### High Pressure Grease Hose



- 8.6mm or 11.3mm high pressure hose
- 11,600PSI

- AF-LC-99-HPH50M**  
50m x 8.6mm High Pressure Hose - Empty
- AF-LC-99-HPH50MGF**  
50m x 8.6mm High Pressure Hose - Grease Filled
- AF-LC-99-EHP100M**  
100m x 11.3mm High Pressure Hose - Empty
- AF-LC-99-EHP100MGF**  
100m x 11.3mm High Pressure Hose - Grease Filled

**ULTRAFLO** 

### 90 Degree Hose Stud



- Suits 8.6mm hose
- Requires Screw Sleeve
- 90 degree

- AF-LC-99-HS906M17**  
6mm Hose Stud (17 x 29)
- AF-LC-99-HS906MSS**  
6mm Stainless Steel Hose Stud (28 x 37)
- AF-LC-99-HS906M22**  
6mm Hose Stud (22 x 45)

**ULTRAFLO** 

### Hose Stud 45 Degree



- Suits 8.6mm hose
- Requires Screw Sleeve
- 45 degree

- AF-LC-99-HS456M**  
6mm Hose Stud (24 x 15)
- AF-LC-99-HS456MCG**  
6mm Hose Stud with Claw Groove (24 x 15)

**ULTRAFLO** 

### Hose Stud Connector Straight Fitting



- Suits 8.6mm & 11.3mm

- AF-LC-99-HSS20M**  
6mm Hose Stud (20mm)
- AF-LC-99-HSS30M**  
6mm Hose Stud (30mm)
- AF-LC-99-HSS30MSS**  
Straight 6mm Hose Stud SS
- AF-LC-99-HSS65M**  
6mm Hose Stud (65.5mm)
- AF-LC-99-HSS08M**  
8.6mm Hose Stud Connector (21.5mm)
- AF-LC-99-HSS20M11**  
11.3mm Hose Stud (20mm)

ULTRAFLO

ultraflo

### Screw Sleeve Fitting

· Suits 8.6mm & 11.3mm hose



**AF-LC-99-SS**  
8.6mm Screw Sleeve Fitting

**AF-LC-99-SSSS**  
8.6mm Stainless Screw Sleeve Fitting

**AF-LC-99-SS11**  
11.3mm Screw Sleeve Fitting

ULTRAFLO

ultraflo

### Reusable Hose End Swivel Fitting

· Suits 8.6mm hose



**AF-LC-99-RHESWSS**  
Reusable Hose End Stud 1/8NPT, Swivel & Screw Sleeve

**AF-LC-99-RHESO**  
Reusable Hose End Stud 1/8 NPT Stud Only

**AF-LC-99-RHESSS**  
Screw Sleeve for Reusable Hose End Only

ULTRAFLO

ultraflo

### Swivel Union Fitting



**AF-LC-99-SU1/8M**  
6mm x 1/8 BSP

**AF-LC-99-SUM10**  
6mm x M 10x1

ULTRAFLO

ultraflo

### Banjo Fitting 90 Degree



**AF-LC-99-BF1/8**  
M10 x 1/8 BSP

**AF-LC-99-BFM10**  
M10 x 1/M10 x 1

ULTRAFLO

ultraflo

### Bulkhead Straight & 90 Degree Elbow Fitting

· Suits 6mm Tube



**AF-LC-99-BH6M**  
6mm x 25mm Bulkhead

**AF-LC-99-BHS6M**  
6mm x 6mm Bulkhead Straight

**AF-LC-99-BHS6MSS**  
6mm x 6mm Bulkhead Straight Stainless Steel

**AF-LC-99-BE906M**  
6mm Tube x 6mm Bulkhead 90 degree

**AF-LC-99-BE906MSS**  
6mm Tube x 6mm Bulkhead 90 degree Stainless Steel

ULTRAFLO

ultraflo

### Compression Nut Fitting

· Suits 8.6mm & 11.3mm hose  
· Use with Compression Olive



**AF-LC-99-CN**  
6LL 6mm

**AF-LC-99-CNSS**  
6LL 6mm Stainless Steel

**AF-LC-99-CNL**  
6L 8mm

**AF-LC-99-CNLSS**  
6L 8mm Stainless Steel

**ULTRAFLO**



**Compression Olive Fitting**

- Suits 8.6mm & 11.3mm hose
- Use with Compression Nut



- AF-LC-99-CO**  
6LL 6mm
- AF-LC-99-COSS**  
6LL 6mm Stainless Steel
- AF-LC-99-COL**  
6L 8mm
- AF-LC-99-COLSS**  
6L 8mm Stainless Steel

**ULTRAFLO**



**JIC 7/16 Reusable Hose Stud**

- For 8.3mm Hose
- Stainless steel options available



- AF-LC-98-BT0544**  
Straight Fitting
- AF-LC-98-BT0555**  
45 degree Fitting
- AF-LC-98-BT0566**  
90 degree Fitting
- AF-LC-98-BT0544SS**  
Straight Fitting Stainless Steel
- AF-LC-98-BT0566SS**  
90 degree Fitting Stainless Steel

**RAASM**

**440 Series Grease Reels**

- Unique smooth & trouble free operation
- Equipped with 0.6m Connection Hose
- Bracket enables easy installation (option of swivel or fixed)
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure rating: 600Bar



- AF-RA-9440.501**  
RAASM 440 Series Grease Reel 12m x 1/4" ID Hose
- AF-RA-9440.502**  
RAASM 440 Series Grease Reel 18m x 1/4" ID Hose
- AF-RA-9440.506**  
RAASM 440 Series Grease Reel 15m x 3/8" ID Hose

**RAASM**

**430 Series Grease Reels**

- Can be roof, wall or bench mounted
- Equipped with 0.6m Connection Hose
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure rating: 600Bar



- AF-RA-8430.501**  
RAASM 430 Series Grease Reel 12m x 1/4" ID Hose
- AF-RA-8430.502**  
RAASM 430 Series Grease Reel 18m x 1/4" ID Hose
- AF-RA-8430.506**  
RAASM 430 Series Grease Reel 15m x 3/8" ID Hose

**Bulk Grease Transfer Systems**

We understand flow rates & pressures, with understanding your site & performance requirements our team can put together a solution to help you move bulk grease with ease. Static or mobile, our in house engineering team can assist, from concept right through to installation.



# ULTRAFLO Air Operated Pump Kit



## Features & Benefits

The most cost effective & dependable solution to easier greasing of plant & equipment

The ULTRAFLO Air Operated Pump Kit is in for the long haul - withstanding all you throw at it & is sure to meet your budget

58:1 Ratio High Pressure Grease Pump

Up to 1500 g/Min

2 year warranty

Ideal for busy workshops where greasing is undertaken regularly

Kit includes: Pump, Drum Cover, Follower Plate, 4M Hose, Grease Gun & Z Swivel

## Applications

Transport, Earthmoving, Industrial, Agricultural & Mining

Part No.	Description
AF-AE-KP7247PZ	ULTRAFLO 58:1 Ratio Grease Kit - 20kg
AF-AE-KP7294SCZ	ULTRAFLO 58:1 Ratio Grease Kit - 180kg
AF-AP-1303	Heavy Duty Hand Trolley - 20kg
AF-AP-1305	Heavy Duty Mobile Trolley - 180kg
AF-AP-4325	HD 20kg Drum Dolly
AF-AP-2325	HD 180kg Drum Dolly



Bull Bros - Diesel & AdBlue Fueltainer

ULTRAFLO

ultraflo

### Heavy Duty Rotary Drum Pump

- Solid aluminium construction
- 3 piece steel suction pipe & 2" bung adaptor
- Suitable for petrol, diesel & motor oils



**AF-AP-1321**  
ULTRAFLO HD 205L Rotary Barrel Pump

**AF-AP-1321H**  
ULTRAFLO HD 205L Rotary Barrel Pump Hose & Nozzle

ULTRAFLO

ultraflo

### High Flow Rotary Drum Pump

- Flow Rate: up to 100 LPM
- Solid aluminium construction
- Steel suction pipe & foot strainer
- Ideal for fast efficient transfer of diesel fuel, petrol or kerosene
- Also suitable for oils up to SAE30
- Complete with 2.4m of hose, metal nozzle & holster
- 2" bung adaptor



**AF-AP-1320**  
ULTRAFLO High Flow Diesel Pump

**AF-AP-1320F**  
ULTRAFLO High Flow Diesel Pump with 1" Filter

ULTRAFLO

ultraflo

### Lever Piston Pump

- Flowrate: 1.9L per stroke
- Dual-Flo piston design pumps fluid on both the push and pull stroke.
- Light-weight aluminum body provides corrosion resistance and reduces tank stress.
- Handle lock deters fluid theft



**AF-UF-HP-100-UL**  
Lever Piston Hand Pump, 189L / 100 Strokes (U/L Approved)

ULTRAFLO

ultraflo

### Refuelling Pump

- Vane pump with motor
- Built-in by-pass valve
- Duty Cycle: 30min
- Flow Rate: up to 50 LPM
- Noise level below 70dB
- 12V or 24V DC operation
- 2m cables with clips for battery connection



**AF-FP-342000**  
ULTRAFLO 12V Refuelling pump Only

**AF-FP-347000**  
ULTRAFLO 24V Refuelling Pump Only

ULTRAFLO

ultraflo

### Refuelling Pump Kit

- Vane pump with motor
- Built-in by-pass valve
- Duty cycle: 30min
- Flow rate: up to 50 LPM
- Noise level below 70dB
- 12V or 24V DC operation
- 2m cables with clips for battery connection
- 4m hose (diameter 3/4")
- Manual or automatic nozzles available



**AF-FP-22500C**  
ULTRAFLO 12V Refuelling Pump kit & Manual Nozzle

**AF-FP-22600C**  
ULTRAFLO 24V Refuelling Pump kit

**AF-FP-22500C-A**  
ULTRAFLO 12V Refuelling Pump kit & Auto Nozzle

**AF-FP-22600C-A**  
ULTRAFLO 24V Refuelling Pump Kit & Auto Nozzle

PIUSI

PIUSI

### High Flow Bi Pump & Refuelling Kit

- Self-priming, rotary vane pump equipped with a by-pass valve
- Flanged 1" BSP (f) connectors
- Flow Rate: up to 80 LPM
- Renowned for its ability to consistently outlast any other pumps in its league



**AF-FP-36301A**  
PIUSI 12V Bi Pump Only - 80 LPM

**AF-FP-36303A**  
PIUSI 24V Bi Pump Only - 80 LPM

**AF-FP-363280K**  
Piusi 12V Bi Pump Kit, 4m hose & Auto Nozzle

PIUSI



### Pit Stop Refuelling Kit

- Two 12V Diesel Pumps 45 LPM
- Automatic hose reel
- 14m x 3/4" Hose
- Water Filter
- Automatic Diesel Nozzle
- Easy to install



**AF-FP-212000**  
Pitstop 45 12V Refuelling Kit

**AF-FP-213000**  
Pitstop 45 24V Refuelling Kit

PIUSI



### Explosion Proof Refuelling Kit

- Premium pump EX rated
- Flow rate 50 LPM
- Fuel fitter
- Meter
- 4m hose
- Auto nozzles
- Suitable for petrol/pump



**AF-FP-375010**  
EX50 12V Pump Kit 4m Hose, Auto Nozzle & Meter

**AF-FP-582030**  
PIUSI EX 56 240/50 K33 Drum Kit 4m Hose, Filter, Auto Nozzle & Meter

PIUSI



### Explosion Proof Refuelling Pump

- EX Rated transfer pump is suitable for transferring diesel or unleaded fuel
- Pumps are self-priming & have an inbuilt bypass valve



**AF-FP-371000**  
EX50 12V Pump Only - 50 LPM Flow Rate

**AF-FP-580030**  
PIUSI EX 56 240V 50Hz Pump

**AF-FP-395010**  
EX140 240V Pump Only - 140 LPM Flow Rate

RAASM



### Diaphragm Pump

- Exceptional quality & performance
- Self-priming
- 10 year warranty
- Suitable for diesel, oils, coolant & waste oil



**AF-RA-3C1/1666VNHH**  
RAASM 3/4" Series Cataphoresis Diaphragm Pump 70 LPM

**AF-RA-3C1/2611NHH**  
RAASM 1" Series Aluminium Pump 170 LPM

**AF-RA-3C1/2666VNHH**  
RAASM 1" Series Cataphoresis Diaphragm Pump 170 LPM

ULTRAFLO



### Diesel Transfer Pump

- Self-priming rotary vane pump
- Built-in by-pass valve
- Built-in strainer
- Continuous duty cycle
- 1" BSP(f) inlet/outlet
- Flow Rate: 60 to 100 LPM
- Ideal for bulk diesel fuel transfer



**AF-E-210750**  
ULTRAFLO PA1 240V Diesel Transfer Pump 60 LPM

**AF-E-210760**  
ULTRAFLO PA2 240V Diesel Transfer Pump 80 LPM

**AF-E-210780**  
ULTRAFLO PA2 240V Diesel Transfer Pump 100 LPM

PIUSI



### Diesel Transfer Pump

- Self-priming rotary vane pump
- Continuous duty cycle
- Inbuilt by-pass valve
- 1" inlet/outlet (70, 90 & 120 LPM)
- 1 1/4" inlet & 1" outlet (140 LPM)



**AF-FP-732000**  
PIUSI 240V Panther Transfer Pump Only 70 LPM

**AF-FP-73320A**  
PIUSI 240V Panther Transfer Pump Only 90 LPM

**AF-FP-326000A**  
PIUSI 240V Panther Transfer Pump Only 120 LPM

**AF-FP-395050**  
PIUSI 240V E140 Transfer Pump Only 140 LPM

**GESPASA**



### Diesel Pump

- Centrifugal pump
- Flow according to manometric height: from 100 to 500 LPM
- Motor 240V
- 2,800 RPM
- Continuous duty cycle
- Thermal protector
- 2" BSP inlet/outlet



**AF-GE-02050**  
CG-150 240V High Flow Transfer Pump

**ULTRAFLO**



### Diesel Flow Meter

- Suitable for diesel, kerosene & anti-freeze
- 1" BSP (F) inlet & outlet ports
- Mechanical gear meter with  $\pm 1.0\%$  accuracy
- Flow rate: 20-120 LPM
- Max working pressure: 3.5Bar (50PSI)



**AF-FP-553000**  
ULTRAFLO K33 3 Digit 1" Flow Meter

**AF-FP-563000**  
ULTRAFLO K44 4 Digit 1" Flow Meter

**PIUSI**



### K24 Inline Digital Meter

- An economical, reliable & versatile solution for metering fluids
- Turbine type meter reinforced with polyamide body
- 1" BSP inlet/outlet connections
- Max. Flow Rate: up to 120 LPM
- Display can be rotated to 4 different positions
- Battery powered with 2 replaceable AAA batteries



**AF-FP-408100**  
K24 Inline Digital Flow Meter - 1"

**AF-FP-40722A**  
K24 Inline Digital Flow Meter - 1"

**PIUSI**



### ATEX Mechanical & Digital Flow Meter

- Meets the ATEX requirements related to the use of materials in potentially explosive atmospheres.
- Resettable
- Flow rate: 20-120 LPM
- Accuracy: +/- 0.3%



**AF-FP-570030**  
K33 ULP 1" Mechanical Flow Meter

**AF-FP-408X00**  
K24 ULP 1" Digital Flow Meter ATEX/IECEx

**PIUSI**



### Pulse Flow Meter

- Pulse flow meters for oil & diesel
- Flow Rate: Up to 100 LPM
- Accuracy:  $\pm 0,5\%$
- Repeatability: 0,2%



**AF-FP-472A20**  
K600/3 Oil Only Meter - 3/4" - 6-60 LPM

**AF-FP-472A00**  
K600/3 Oil/Diesel Meter - 1" - 10-100 LPM

**AF-FP-473000**  
K600/4 Oil/Diesel Pulser 1-1/2" BSP - 15-150 LPM

**AF-FP-1175200B**  
K600/3 Remote Display

**ULTRAFLO**



### Metered Ancillaries

- Instrument Type: Flow Rate Totaliser
- Mounting Type: Meter and Field Mount, Wall, Pipe or Panel mount
- Operating Temperature Range: -30 C - 80 C



**AF-UF-FRT40**  
ULTRAFLO RT40 Large Display Remote Mount LCD Display

**AF-UF-RT406D0FM**  
ULTRAFLO RT40 Field Mount Rate Totaliser

**ULTRAFLO**



**High Accuracy Industrial Meter**

- Designed & manufactured for Australia conditions
- All metal rotors
- IP67 Mechanical display
- Options - LCD Displays & remote mount display
- 2 year warranty
- Intrinsically safe



**AF-UF-25A-M**  
ULTRAFLO 1" Aluminium Meter with 4 Digit Mechanical Register (10-150LPM)

**AF-UF-25A-P**  
ULTRAFLO 1" Aluminium Pulse Meter (10-150LPM)

**AF-UF-40A-M**  
ULTRAFLO 1 1/2" Aluminium Meter with 4 Digit Mechanical Register (15-250LPM)

**AF-UF-40A-P**  
ULTRAFLO 1 1/2" Aluminium Pulse Meter (15-250LPM)

**AF-UF-50A-M**  
ULTRAFLO 2" Aluminium Meter with 4 Digit Mechanical Register (30-450LPM)

**AF-UF-50A-P**  
ULTRAFLO 2" Aluminium Pulse Meter (30-450LPM)

**RAASM**



**540 Series Diesel Hose Reel**

- Can be roof, wall or bench mounted
- Equipped with 0.6m Connection Hose
- 1" BSP (f) inlet & 1" BSP (m) outlet
- Pressure rating: 10Bar



**AF-RA-8540.601**  
Diesel Hose Reel 15m x 3/4" ID Hose

**AF-RA-8540.603**  
Diesel Hose Reel 15m x 1" ID Hose

**AF-RA-8540.610**  
Diesel Hose Reel 10m x 1" ID Hose

**FUELSHOT**



**Manual Fuel Nozzle**

- Flow Rates: up to 100 LPM
- Inlet 1" BSP(f) swivel
- Suitable for gravity feed systems
- Ideal for farm tank & smaller fuel dispensing applications



**AF-FS-ML2**  
FUELSHOT Manual Diesel Nozzle with black cover

**AF-FS-MUL2**  
FUELSHOT Manual Unleaded Nozzle with black cover

**FUELSHOT**



**Standard Automatic Nozzle**

- Automatically shuts off nozzle
- Flow Rate: up to 60 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications



**AF-FS-AL60**  
FUELSHOT 3/4" Auto Diesel Nozzle - 60 LPM

**AF-FS-UL60**  
FUELSHOT 3/4" Auto Unleaded Nozzle - 60 LPM

**FUELSHOT**



**Slimline Automatic Nozzle**

- Automatically shuts off nozzle
- Flow Rate: up to 80 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications



**AF-FS-AL80**  
FUELSHOT 3/4" Slimline Diesel Nozzle - 80 LPM

**AF-FS-UL80**  
FUELSHOT 3/4" Slimline Unleaded Nozzle - 80 LPM

**FUELSHOT**



### High Flow Truck Stop Automatic Nozzle

- Automatic shut off diesel nozzle
- For high flow transfer of up to 120 LPM
- Suitable for pump applications only
- Complete with 1" BSP(f) Swivel
- Ideal for high flow mobile pumps, truck bus or fleet operations



**AF-FS-AL120**  
FUELSHOT 1" High Flow Truck Nozzle - 120 LPM

**AF-HU-503038-04**  
Husky 1" High Flow Truck Nozzle

**FUELSHOT**



### Premium Automatic Nozzle

- Automatically shuts off nozzle
- Flow Rate:  
3/4" 80 LPM  
1" 140 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications



**AF-EL-102-ZVA24.1**  
3/4" Slimline Diesel Nozzle - 80 LPM

**AF-EL-102-ZVA24.1R**  
3/4" Slimline Unleaded Nozzle - 80 LPM

**AF-EL-102-ZVA25-41**  
1" High Flow Diesel Nozzle Heavy Spring

**A-FLO**



### ZVA Genuine Automatic Nozzle

- Automatically shuts off nozzle
- Flow Rate:  
3/4" 80 LPM  
1" 140 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications



**AF-EF-102-ZVA24-1**  
ZVA Genuine 3/4" Slimline Diesel Nozzle - 80 LPM

**AF-EF-102-ZVA24-1R**  
ZVA Genuine 3/4" Slimline Unleaded Nozzle - 80 LPM

**AF-EF-102-ZVA25-41**  
ZVA Genuine 1" Hi Flow Diesel Nozzle

**AF-EF-102-ZVA25-SWIVEL**  
ZVA 25 Inlet Swivel 1"

**AF-EF-102-ZVA32-44**  
ZVA Genuine 1 1/4" Hi Flow Diesel Nozzle

**AF-EF-102-ZVA32-SWIVEL**  
ZVA 32 Inlet Swivel 1 1/4"

**FUELSHOT**



### Fuel Nozzle Swivel

- Compact aluminium & brass construction
- Viton/Buna - N Seals



**AF-FS-SP20X20**  
3/4" BSP (m) x 3/4" BSP (f) Single Plane Swivel

**AF-FS-SP341**  
3/4" BSP (m) x 1" BSP (f) Single Plane Swivel

**AF-FS-SP25X25**  
1" BSP (m) x 1" BSP (f) Single Plane Swivel

**FUELSHOT**



### Dual Plane Swivel

- Provides a full 360 degree spherical rotation for free-movement facilitation flexibility to refuel vehicles from almost any direction
- Unique design to allow high flow rates



**AF-FS-DP34**  
3/4" BSP (m) x 3/4" BSP (f) Dual Plane Swivel

**AF-FS-DP11**  
1" BSP (m) x 1" BSP (f) Dual Plane Swivel

A-FLO



### Breakaway Coupling

- Compact & lightweight
- 1" (m) x 1" (f) multi-plane swivel joint
- Unique inline latching mechanism
- Re-Connectable



**AF-HU-5969140**

Safe T Break 1" BSP (m) x 1" (f) BSP

FLOMAX



### Diesel Fuel Nozzles

- Flow rates up to 680 LPM
- Includes 1 1/2" NPT (f) Swivel
- Highest flow rate capability
- Reducing refuelling time
- Dry break fitting
- Dependable ball locking mechanism
- Automatic shut off



**AF-FX-FNBL-P**

Fuel Nozzle with Ball Lock with Swivel & Plug

**AF-FX-FRA-C**

Fuel Receiver - Alum. With Cap

HOSEBUN



### Hose Hanger for High Hose Mast

- Patented urethane hose saddle designed to properly suspend hoses
- Suspend hoses in a permanent, temporary or semi rigid position
- Used in various industrial, commercial sites & applications



**AF-H-HB100ED**

Hosebun with Metal D-Ring, Holds up to 1" Hose

**AF-H-HB125ED**

Hosebun with Metal D-Ring, Holds up to 1 1/4" Hose

**AF-H-HB150ED**

Hosebun with Metal D-Ring, Holds up to 1 1/2" Hose

A-FLO



### Diesel Tank Bottom Fill Kit

- Designed & configured for easy installation to horizontal or tripod tanks where fill points are within 200mm from tank edge & the overall maximum height is 3200mm (3.2m)
- Standard Kits are fitted with a Sight Tube, All Fittings, Valves, Camlocks & Gal Pipe Fill Point with stand alone Vent



**AF-BFK-32**

1 1/4" Bottom Fill Kit with Sight Tube

**AF-BFK-38**

1 1/2" Bottom Fill Kit with Sight Tube

**AF-BFK-50**

2" Bottom Fill Kit with Sight Tube

SAR-GEL



### BLUE Water Finding Paste

- Fast & reliable way to detect water in tanks containing diesel & ULP fuels
- The orange paste will turn blue when it comes into contact with water



**AF-SG-FT001**

Water Finding Paste - 28g

**FUELSHOT**



**Farm Tank Fuel Hose**

- 25mm ID diesel, petrol & oil
- Kink resistant
- Max. Working Pressure: 145PSI
- Includes anti-static copper wire for increased safety
- Excellent UV resistant & flexibility
- Suitable for drum pumps & overhead tanks
- 20m coil length
- Made in Australia



**AF-RI-25FTH20-ASW**  
FUELSHOT 25mm Farm Tank Hose - 20M

**A-FLO**



**Spin Secure Lockable Filler Cap**

- Does not require a padlock
- 2" BPT Female
- Rubber gasket numbered lock with over 50,000 combinations
- Complete with 3 keys
- Integrated safety thermal relief
- Male nipple adaptor available (STC-750/754-200)



**AF-STC-FSS750MF**  
Spin Secure Lockable Filler Cap

**AF-STC-FSS754MF**  
Spin Secure Lockable Filler Cap with Built-in breather

**AF-STC-750/754-200**  
Spin Secure 2" Nipple Adaptor

**ULTRAFLO**



**100LPM 240V Bowser**

- Total refuelling solution in a box
- Built-in nozzle holster
- Automatic pump stop
- 240V Self-Priming Vane Pump
- Flow rates 100 LPM
- 4m x 1" Delivery Hose
- Automatic Nozzle
- 4 Digit Meter
- Pedestal available



**AF-E-AF3000**  
ULTRAFLO 100 240V Bowser without Pedestal 100 LPM

**PIUSI**



**Cube 240V Diesel Bowser**

- Total refuelling solution in a box
- Built-in nozzle holster
- Automatic pump stop
- 240V Self-Priming Vane Pump
- Flow rates 70 LPM or 90 LPM
- 4m x 1" Delivery Hose
- Automatic Nozzle
- 4 Digit Meter
- Pedestal available



**AF-FP-59100A**  
PIUSI Cube 70 240V Diesel Bowser 70 LPM

**AF-FP-592000**  
PIUSI Cube 90 240V Diesel Bowser 90 LPM

**PIUSI**



**Diesel Fuel Management Bowser**

- Up to 50 users
- Flow Rate: 12V 56 LPM, 240V 70 LPM
- Memory 255 transactions
- Accuracy: +/- 0.5%
- Continuous operation
- IP55 protection
- Pedestal available
- Software required

**AF-FP-59400C**  
Cube 70MC 240V Diesel Bowser 70 LPM (50 users)

**AF-FP-59413A**  
Cube 70MC 12V Diesel Bowser 56 LPM (50 users)

**AF-FP-F14144040**  
Kit Including Software 10 User Keys, 1 Management Key & USB Adaptor

**AF-FP-F15904000**  
Yellow User Keys (10 Per Pack)



PIUSI

### MCBOX Standard Fuel Management System

- Single pump only
- Up to 80 users
- Quick & easily download transactions
- Easy to install
- Requires pulse input
- Memory 255 transactions
- 240V
- Software required with MCBOX (FP-F14144040)



**AF-FP-F1398000C**  
MCBOX 240V 80 Users

**AF-FP-F14144040**  
Kit Including Software 10 User Keys, 1 Management Key & USB Adaptor

**AF-FP-F15904000**  
Yellow User Keys (10 Per Pack)

**AF-FP-599000**  
BSmart MC Box 240V - 10 Drivers

Honda



### Diesel Transfer Pump Petrol powered

- 1.1 HP recoil start
- 4 stroke, mounting bracket & carry handle
- Max Head: 36M
- Max. Flow Rate: 130 LPM
- Weight: 5.5kg



**AF-UF-AP/GX25**  
1" Honda Diesel Transfer Pump

ULTRAFLO



### 2.4HP Petrol Driven Diesel Pump

- 1" & 1.5" diesel pump available
- 2.4HP 4 stroke petrol engine
- Recoil start system
- Flow rate: up to 180 LPM
- Weight: 1" 15kg, 1.5" 20kg



**AF-UF-29PE1DV**  
2.4HP Petrol Driven 1" Diesel Pump Viton Seals

**AF-UF-29PE15DV**  
2.4HP Petrol Driven 1.5" Diesel Pump Viton Seals

ULTRAFLO



### 4HP Diesel Driven 2" Diesel Pump

- 4HP stroke petrol engine
- Recoil start system
- Flow rate: 330 LPM
- Weight: 70kg
- Non self priming
- 2" Inlet / Outlet



**Bulky Item\***

**AF-UF-4DE2DV**  
4HP Diesel Driven 2" Cast Iron Diesel Pump Viton Seals (Non Self-Priming)

ULTRAFLO



### 6.5HP Petrol Driven 2" Diesel Pump

- 6.5HP 4 stroke petrol engine
- Recoil start system
- Flow rate: 330 LPM
- Weight: 28kg
- Non self priming
- 2" Inlet / Outlet



**Bulky Item\***

**AF-UF-65PE2DV**  
6HP Diesel Driven 2" Cast Iron Diesel Pump Viton Seals (Non Self-Priming)

**ULTRAFLO**



**Farm Tank Fuel Filter**

- Economic fuel filters for use in gravity, hand, air or electrical pump applications
- Includes a 10 micron fuel filter, drain valve & replaceable bowl
- Rust & weather resistant
- 1" BSP inlet & outlet
- Max. Working Pressure: 10 Bar/150PSI
- Suitable for Diesel & Unleaded fuel



**AF-UF-FF25-1**  
ULTRAFLO 1" Fuel Filter

**AF-UF-FFE-10M**  
ULTRAFLO 10 Micron Filter Element Only

**AF-UF-FF25WAE**  
ULTRAFLO Replacement Water Block Filter Element & Seal Kit

**A-FLO**



**Clear Captor Filter**

- Flow Rate Range 100 L/min
- Inlet/Outlet 1 BSP
- Filtering Efficiency 2 / 5 m
- Maximum Operating Pressure 5 bar
- Water Absorbing No (i.e., standard particulate filter version)
- Weight: approx 2.3kg
- Pressure Drop <0.5 bar (SAE10W oil at 20 C)
- Operating Temperature: -10 C to +50 C



**AF-FP-611B00**  
A-FLO Clear Captor Filter 5 Micron (Inc. Two Cartridges)

**AF-FP-611030**  
Clear Captor Cartridge 5 Micron (1 pc)

**ULTRAFLO**



**Bulk Fuel Storage Tank Filter Kit**

- The kit sets you up to protect your assets by ensuring every drop is filtered & your tank is protected from any moisture or condensation
- Simple to maintain & service
- Ideal for static above ground, overhead or mobile tanks
- Removes 99.5% of contamination 10 Micron or larger
- Water absorption capacity - 1 filter holds up to two cans of water



**AF-DF-P902973**  
Bulk Fuel Filter Kit, TRAP Breather & Fittings

**A-FLO**



**POLYCUBE Diesel Tanks with Hose Reels**

- Durable square tank construction for stability and long service life.
- Integrated 12V pump delivering 56LPM with 4m Battery Cable for fast and efficient fuel transfer.
- 10m x 3/4" hose reel for extended reach and convenience.
- Auto shut-off nozzle for safe and controlled dispensing.



**Bulky Item\***

**AF-FC-DD600HR**  
600L Polytank Square Diesel Tank 12V with Hose Reel

**AF-FC-DD800HR**  
800L Polytank Square Diesel Tank 12V with Hose Reel

**POLYCUBE ECO**

**with Standard Pump Kits**

- Complete with a Standard 12V 35 LPM Pump with Battery Cable & Clips, 4M x 3/4" Diesel Delivery Hose & Auto Nozzle
- Lockable lid

**Bulky Item\***



**AF-FC-ECO100**  
100L Slimline POLYCUBE ECO with Standard Kit

**AF-FC-ECO200**  
200L Slimline POLYCUBE ECO with Standard Kit

**AF-FC-ECO500**  
500L Stumpy POLYCUBE ECO with Standard Kit

**AF-FC-ECO1000**  
1000L Slimline POLYCUBE ECO with Standard Kit

**AF-FC-ECO300-50**  
330L Diesel & 50L AdBlue® Combo POLYCUBE ECO

**PETROLBOX**

**Petrolbox**

- Single skin cube tank
- Stationary cube tank
- 2" BSP sockets
- 1" BSP breather outlet
- 2" Fill Point with Camlock & Cap
- Calibrated dipstick with safe fill level
- Optional pumps and accessories
- Suitable for flammable liquids
- Forklifttable
- Statutory decals fitted



**Bulky Item\***

- AF-PETROLBOX-350L-ULP**  
PETROLBOX 350L SFL
- AF-PETROLBOX-500L-ULP**  
PETROLBOX 350L SFL
- AF-PETROLBOX-750L-ULP**  
PETROLBOX 750L SFL

- AF-PETROLBOX-1000L-ULP**  
PETROLBOX 1000L SFL
- AF-PETROLBOX-2000L-ULP**  
PETROLBOX 2000L SFL

**PIUSI**



**OCIO Level Indicator**

- Continuous metering
- Indication in height, volume & filling percentage
- Maximum & minimum level alarms
- High accuracy
- Intuitive software managing procedure
- Easy installation
- PC linkup option



- AF-FP-75510D**  
OCIO Level Indicator LV/RS Output - Diesel

**A-FLO**



**High Level Alarm**

- Suitable for steel or plastic tanks
- Suitable for diesel, oil & water
- High power alarm sounder 97dB at 1M
- Flashing light on top of unit
- Mute button stops the sounder & light still flashes
- Float switch supplied with 5M cable
- 2 year battery life, if tested weekly with no alarms



- AF-HFE-HLA001**  
A-FLO High Level Diesel/Oil Alarm - Steel Tanks

**PIUSI**



**Fuel Management System**

- Bluetooth connection
- Total control via app
- Vibration resistance
- Low Noise
- Compatible with diesel up to B20 - HVO/XTL
- Continuous duty cycle
- Suitable for poly Ute tanks



- AF-FP-251H00**  
PIUSI Supreme 12/24V Diesel Pump Only with 10 Drivers (Horizontal Ports)
- AF-FP-251V00**  
PIUSI Supreme 12/24V Diesel Pump Only with 10 Drivers (Vertical Ports)
- AF-FP-770M20-MAP**  
PIUSI Supreme Maply Geo Positioning
- AF-FP-770F20**  
PIUSI Supreme Fuel Economy Add On-One Time Fee

**A-FLO**



**ULTRABLUE Nitrile Fuel Glove**

- Jersey liner / Safety cuff offers extra protection
- Superior puncture, snag & abrasion resistance
- Resistant to oil, chemical & greases
- Sanitised anti-bacterial treated



- AF-MX-AUB98XL**  
Safety Cuff Blue Nitrile - 3/4 Dipped
- AF-MX-AUB131XL**  
Safety Cuff Blue Nitrile - Fully Dipped



**SAFE FILL** 5,490 Litres  
1,450 US Gallons

**DEF STORAGE**  
**SAFE FILL** 5,490 Litres  
1,450 US Gallons

**WARNING**  
ONLY  
TRANSPORT  
WHEN EMPTY

AD-500212



Bluequip



### Rotary Drum Pump Kit

- Heavy duty polypropylene construction
- 2m of delivery hose & stainless steel spout
- Complete with Bluequip adaptor to suit 205L drums
- Ideal for smaller 1-2 vehicle operations



**AF-FP-332080**  
Rotary Action Barrel Pump Kit German & US Adaptor

Bluequip



### Gravity Feed Kit

- Ideal for IBC applications where no electricity or air is available
- 4m of Bluequip delivery hose
- Manual nozzle with swivel
- IBC Adaptor Kit to suit standard IBC's



**AF-FP-155170**  
IBC Gravity Feed Kit

Ezi-Action



### Drum Pump

- Output per stroke 20L 160mL
- Output per stroke 205L & 1000L 400mL
- Delivers on the up & down stroke
- Superior chemical resistance & anti-corrosion technology
- The only serviceable hand pump in the world, which acts to extend its lifespan



**AF-EZ-25/5**  
25L Drum Pump

**AF-EZ-205/55B**  
205L AdBlue Drum Pump

**AF-EZ-1000/220**  
Ezi-Action 1000L IBC Drum Pump with 4 Adaptors

Bluequip



### 240V Electric Transfer Pump Only

- Flow Rate: up to 35 LPM
- 2m cable
- Reliable Self-priming Pump
- 3/4" Inlet/Outlet hose tails included



**AF-FP-203010**  
240V Electric Transfer Pump

Bluequip



### 12V Electric Pump

- 12V Self-Priming Pump
- Flow Rate: 35 LPM
- 205L Drum or 1000L IBC Suction Kits available
- Optional kits include: 6m x 3/4" Bluequip Hose & Manual Nozzle with Swivel



**AF-FP-204000**  
BLUEQUIP 12V Transfer Pump

Bluequip



### Pro 240V Pump Kit

- The most common & sought after system in the market
- Stainless Steel IBC bracket with nozzle holder
- Self-priming 35 LPM pump
- Digital flow meter
- 6m x 3/4" ID hose & automatic shut off nozzle
- Bottom suction kit



**AF-FP-101330**  
BLUEQUIP Basic, Manual Nozzle (No Meter)

**AF-FP-101320**  
BLUEQUIP 240V 1000L IBC Kit with Auto Nozzle & Meter

**Bluequip**



## Air Operated IBC Pump Kit

- Most cost effective pump system available for IBC's
- Reliable 2:1 Ratio Pump 40 LPM
- 4m of Bluequip Delivery Hose
- Pump Mount Bracket comes with bottom IBC Suction Kit
- Automatic Nozzle (standard)



**AF-AE-KP21A**  
BLUEQUIP IBC Kit, Auto Nozzle

**AF-AE-KP21M**  
BLUEQUIP IBC Kit, Manual Nozzle

**RAASM**



## Diaphragm Pump

- Polypropylene body construction
- 1/2" Fluid inlet, 3/4" fluid outlet
- Flow rate up to 60 LPM
- 10 year warranty



**AF-RA-2B3-16117EA5**  
RAASM 1/2" Diaphragm Pump EPDM Membrane

**Graco**



## Husky Diaphragm Pump

- Polypropylene body construction
- 1/4" Inlet/outlet connections
- Flow rates up to 57 LPM
- Ideal for transfer of AdBlue from one tank to another



**AF-G-D5B911**  
Graco Husky 515 Plastic Pump

**Bluequip**



## 240V Submersible Pump

- Flow Rate: up to 40 LPM
- 5m cable
- Reliable Self-Priming Pump
- Multi Stage sub pump ideal for high pressure requirements or applications where pumping to multiple hoses / dispensers



**AF-PPA-KP350-A-1**  
240V SS Submersible Pump only

**AF-PPA-U5S-3CS4-A1**  
240V SS Multistage Submersible Pump

PIUSI



### Mobile Refilling Kit

- Specially designed for refilling AdBlue systems on diesel cars
- Comes with a universal connector to fit all car models
- The filling process is automatic & has an adjustable flow rate of 3-11 LPM



**Bulky Item\***

**AF-FP-10020A**  
PIUSI Delphin Pro 240v Mobile Refilling Unit

Bluequip



### Manual Nozzle

- Easy to use Polypropylene construction Gun
- 3/4" BSP(f) swivel inlet
- Flow Rate: up to 90 LPM
- Suitable for gravity feed applications



**AF-AE-PPM90ADB**  
Bluequip Manual Dispense Gun

Bluequip



### Genius Auto Nozzle

- Reliable, light, easy to handle & ergonomic
- Liquid compatible with AdBlue/DEF
- Inlet 1" BSP (m)
- Magnetic version



**AF-FP-A10SS**  
Bluequip Genius Auto Nozzle (Suitable for Nozzle Holsters)

Bluequip



### Standard Stainless Steel Auto Nozzle

- Automatic AdBlue Nozzle
- Maximum flow rate: 60 LPM
- Suitable for urea & water
- Stainless steel body & spout with a plastic guard
- 3 position stay open latch
- Supplied with 3/4" hose barb swivel



**AF-AE-PAX70ADB**  
SS Automatic Shut-off Nozzle

**AF-AE-PAX70ADB M**  
SS Automatic Shut-off Nozzle with Magnet

Bluequip



### ZVA Nozzles & Accessories

- Automatic AdBlue Nozzle
- Magnetic spout to prevent miss-filling
- Maximum flow rate: 40 LPM
- Suitable for urea and water
- Supplied with Hose Barb Swivel
- Approved for use in resale systems



**AF-EF-102-ZVA3M-ADBLUE**  
Magnetic AdBlue Nozzle (Magnet NOT included)

**AF-EF-102-ZVA3M-SWIVEL**  
Genuine ZVA AdBlue Swivel (ZVA-ADBLUE-SW)

**AF-EF-102-ZVA4M-ADBLUE**  
AdBlue Nozzle with Hook Handle

**AF-EF-ELAFIX40C**  
Elafix40 AdBlue Magnet & Cable

**Bluequip**



**K24 Inline Digital Flow Meter**

- Flow rate: 6-120 LPM
- Face can be rotated 4 ways
- 1" M BSP Inlet/ Outlet c/w socket
- LCD electronic display
- Accuracy +/-1% after calibration



**AF-FP-407010A**  
K24 Inline AdBlue Digital Flow Meter - 1"

**AF-FP-40721B**  
PIUSI AdBlue Pulse Meter (PPS Body) - K24

**Bluequip**



**Delivery Hose & Check Valve**

- Great flexibility & kink resistant, even at low temperatures
- Outstanding chemical resistance
- Max. Working Pressure: 290PSI
- 1" inlet/outlet
- One way check valve



**AF-FP-BQ20X1**  
Bluequip 20mm Hose

**AF-FP-157490**  
Inline Check Valve Only

**Bluequip**



**1000L IBC Cover**

- IBC Cover ideal to protect & reduce impact of direct sunlight on AdBlue IBC's
- Easy to install & remove when required
- 240V Electric Pump Kit can be still mounted on side of IBC



**AF-AE-IBCCOVER**  
1000L IBC Cover

**Bluequip**



**Spring Retractable Hose Reel**

- Increase operation efficiency, keep hoses maintained & work area clean
- Robust construction
- Fluid path compatible with AdBlue fluid
- Heavy duty dual pedestal base



**AF-AE-VGL1910ADB**  
Hose Reel 10M x 3/4" ID Hose

**AF-AE-VGL1915ADB**  
Hose Reel 15M x 3/4" ID Hose

**RAASM**



**436 Series Hose Reel**

- Painted steel reel
- 10 bar
- 304 stainless steel swivel
- 1" inlet 3/4" outlet



**AF-RA-8436.251**  
RAASM 436 Series AdBlue Reel - 10m x 3/4" Hose

**AF-RA-8436.252**  
RAASM 436 Series AdBlue Reel - 15m x 3/4" Hose

**POLYCUBE**

**AdBlue Ute Tank**

- Complete with a 12V 35LPM Pump with Battery Cable & Clips, 4M x 3/4" Delivery Hose & Manual Nozzle
- Ideal for back of utes or truck to improve efficiency in refueling your equipment
- Increased thickness of wall makes these POLYCUBE's strong & increases the life span
- Built-in splash proof breather & lockable lid



**Bulky Item\***

**AF-FC-EC050/A**

Polycube 50L AdBlue with Standard 12V Pump Kit

**AF-FC-AD100**

Polycube 100L AdBlue with Standard 12V Pump Kit

**AF-FC-AD200**

Polycube 200L AdBlue with Standard 12V Pump Kit

**AF-FC-100LAB**

100L Slimline AdBlue Blue Cube

**AF-FC-200LAB**

200L Slimline AdBlue Blue Cube

**BLUEQUIP**

**Dry Disconnect Bulk Delivery Fitting**

- 316L stainless steel
- 2" BSP
- Tank unit male
- Hose unit female
- Dry break fitting



**AF-LV-CH070-SEY01D**

2" BSP Drybreak Hose Unit SS/Viton (Female)

**AF-LV-CT070-SEZ01**

2" BSP Drybreak Tank Unit SS/Viton (Male)

**Bluequip**

**AdBlue High Level Alarm**

- Suitable for steel or plastic tanks
- Suitable with AdBlue
- Battery operated (battery supplied, type PP3 x1)
- Weatherproof to IP65
- Compact design for use in confined spaces
- High power alarm sounder 97dB at 1M



**AF-HFE-HLA002**

AdBlue High Level Alarm c/w Sensor & 5M Cable

**PIUSI**

**OCIO Level Indicator**

- Continuous monitoring
- Indication in height, volume & filling percentage
- Maximum & minimum level alarms
- High accuracy
- Intuitive software managing procedure
- Easy installation
- PC linkup option



**AF-FP-755140**

OCIO Level Indicator LV/RS Output - AdBlue

**LOXEAL**

**Thread Sealant**

- High strength, fast curing anaerobic adhesive for locking & sealing fitted parts
- High viscosity & thixotropic effect allows larger tolerances
- Highly resistant to heat, corrosion, vibrations, water, gases, oils, hydrocarbons & many chemicals
- Must use activator with 85-86



**AF-LX85-86 250**

Loxreal 85-86 Thread Locking 250mL AdBlue

**AF-LXAC11 200**

Loxreal Activator 11



Statewide Oils - Workshop Fitout

A-FLO

**A-FLO**  
EQUIPMENT

### Industrial Grade Mini Sprayers

- Viton / EPDM Seals
- Heavy duty head & pump
- Automatic safety pressure valve
- Max pressure 1L (44PSI) & 1.5L(58PSI)
- Adjustable nozzles 0.8mm
- Ideal for solvent, brake & parts cleaner, tyre shine & degreaser



**AF-AP-3132PK**  
1L Hand Held Sprayer Bottle

**AF-AP-3135PK**  
1.5L Hand Held Sprayer Bottle

ULTRAFLO

**ultraflo**

### Multi-Purpose Pumps

- Flow Rate: up to 20 LPM
- Available in Ryton or Polypropylene construction
- Ryton & Stainless Steel provide excellent chemical compatibility with lacquers, low viscosity chemicals & mild acids
- Polypropylene, Teflon & Stainless Steel offer excellent chemical resistance to herbicides, pesticides chemicals & mild detergents



**AF-AP-P490**  
ULTRAFLO Level Action Polypropylene Pump

**AF-AP-RP90P**  
ULTRAFLO Polypro Rotary Drum Pump - Yellow

ULTRAFLO

**ultraflo**

### Water Control Valve

- A light weight Control Valve with rigid outlet
- An ideal Hose Reel Water Gun for workshop applications
- The ultimate choice for car & truck dealerships
- Manufactured in Europe



**AF-AN-26/CR**  
ULTRAFLO Water Valve with 3/8" Connection

**AF-AN-27/CR**  
ULTRAFLO Water Valve with 1/2" Connection

FUELSHOT

**FUELSHOT**

### Slump Gun

- For use with concrete trucks or any other applications where high pressure water wash down is needed
- Robust, case hardened steel for extra strength needed in rugged applications



**AF-SG-1189**  
FUELSHOT Slump Gun

ULTRAFLO

**ultraflo**

### Heavy Duty Hot & Cold Wash Trigger Gun

- Spray pattern & water flow is easily controlled by the trigger action
- Suitable for flow rates up to 25 LPM
- Suitable for hot water up to 95°C
- Ideal for all types of commercial & industrial applications including restaurants, butchers, supermarkets, abattoirs, hotels etc



**AF-P-81004**  
ULTRAFLO Dinger Water Gun

ULTRAFLO

**ultraflo**

### Plastic Enclosed Air/Water Reel

- Manufactured in Europe
- Lightweight but robust enclosed casing
- Impact resistant, quality & high performance spring with longevity in mind
- Premium Hose with flexibility for great user experience



**AF-AM-8610**  
Plastic Enclosed Air/Water Reel - 15m x 3/8"

**AF-AM-8612**  
Plastic Enclosed Air/Water Reel - 15m x 1/2"

**RAASM**

**430 Series  
Air/Water Hose Reel**

- Roof, wall or bench mounted
- 0.6m Connection Hose
- 1/2" inlet (f) & outlet (m)
- 20 Bar swivel



**AF-RA-8430.103**  
RAASM 430 Air Water Reel 10m x 1/2" ID Hose

**AF-RA-8430.104**  
RAASM 430 Air Water Reel 15m x 1/2" ID Hose

**RAASM**

**540 Series  
Air/Water Hose Reel**

- Roof, wall or bench mounted
- 0.6m Connection Hose
- 3/4" inlet (f) & outlet (m)
- 20 Bar swivel



**Bulky Item\***

**AF-RA-8540.101**  
RAASM 540 Air Water Reel 15m x 3/4" ID Hose

**AF-RA-8540.102**  
RAASM 540 Air Water Reel 20m x 3/4" ID Hose

**RAASM**

**430 Series  
Stainless Steel  
Hose Reel**

- Roof, wall or bench mounted
- Ideal for water wash down
- 1/2" inlet (f) & 3/8" outlet (f)
- 200Bar swivel
- Max. Water Temperature: 130°C
- Ideal for food industries
- Capacity: 15M x 1/2" or 18M x 3/8" Hose



**AF-RA-8434.300**  
RAASM SS 430 Bare Reel  
(15M x 1/2" or 18M x 3/8" ID Hose Capacity)

**AF-RA-8424.300**  
RAASM SS 430 Bare Reel - Swivel Bracket  
(15M x 1/2" or 18M x 3/8" ID Hose Capacity)

**ULTRAFLO**



**High Pressure Hot  
Wash Hose Reel**

- Ideal for pressure wash applications where high pressure rating are critical
- Suitable for hot water up to 150°C max
- 440Bar / 5600PSI pressure rating
- Stainless Steel Reels are made of SS Type AISI 304



**AF-AE-VL4H3820ST**  
VL Series HP Reel - Bare  
(20m x 3/8" ID Hose Capacity)

**AF-AE-VX4H3815ST**  
VX Series Stainless Steel HP Reel - Bare  
(15m x 3/8" ID Hose Capacity)

**RAASM**

**560 Series High Capacity  
Stainless Steel Reel**

- Roof, wall or bench mounted
- Ideal for water wash down
- 1" inlet/outlet (f)
- Ideal for food industries
- Capacity: 540 Series 30m x 1/2" or 15m x 1" or 20m x 3/4" ID Hose
- Capacity: 560 Series 30m x 1" or 40m x 3/4" ID Hose



**Bulky Item\***

**AF-RA-8542.100**  
RAASM 540 Bare Reel - Brass Swivel Joint - 20Bar

**AF-RA-8544.200**  
RAASM 540 Bare Reel - Brass Swivel Joint - 100Bar

**AF-RA-8564.200**  
RAASM 560 Bare Reel - Brass Swivel Joint - SS Swivel Joint - 100Bar

RAASM

240V Electric Cable Reel

- 15m 240V 10amp Cable
- Working temperature: -5°C to +40°C
- Fitted with thermal protector
- IP44 Rated



**AF-RA-2315SFA**  
RAASM 240V Electric Cable Reel 10 amp 240v x 15m



RAASM

430 Series Manual Oil Bare Reel

- Wall or bench mounted
- Capacity: 15m x 1/2" hose
- Pressure Rating: 150Bar
- 1/2" inlet & outlet (f)
- Ideal for workshop installation



**AF-RA-74300.400**  
RAASM 430 Series Manual Oil Bare Reel without Hose Guide

**AF-RA-743001**  
RAASM 430 Series Manual Reel Hose Guide including Holding Arm

**AF-RA-74301.400**  
RAASM 430 Series Manual Oil Bare Reel with Hose Guide



RAASM

530 Series Manual Air/Water Bare Reel

- Wall or bench mounted
- Capacity: 25m x 1/2" hose
- Pressure Rating: 20Bar
- 1/2" inlet & outlet (f)
- Suitable for air & water
- Brass swivel joint
- Ideal for workshop installation



**AF-RA-75300.100**  
RAASM 530 Series Air/Water Bare Reel without Hose Guide

**AF-RA-753001**  
RAASM 530 Series Manual Reel Hose Guide including Holding Arm

**AF-RA-75301.100**  
RAASM 530 Series Manual Air/Water Bare Reel with Hose Guide

**AF-RA-75320.100**  
RAASM 530 Series SS Manual Air Water Bare Reel without Hose

**AF-RA-753401**  
RAASM 530 Series SS Manual Reel Hose Guide including Holding Arm



RAASM

540 Series Manual Air/Water Bare Reel

- Wall or bench mounted
- Capacity: 15m x 1" hose
- Pressure Rating: 20Bar
- 1" inlet & outlet (f)
- Suitable for air, water & diesel
- Brass swivel joint
- Ideal for workshop installation



Bulky Item\*

**AF-RA-75400.100**  
RAASM 540 Series Manual Air/Water Bare Reel without Hose Guide

**AF-RA-754001**  
RAASM 540 Series Manual Reel with Hose Guide including Holding Arm

**AF-RA-75401.100**  
RAASM 540 Series Manual Air/Water Bare Reel with Hose Guide



RAASM

560 Series Manual Air/Water Bare Reel

- Wall or bench mounted
- Capacity: 30m x 1" hose
- Pressure Rating: 20Bar
- 1" inlet & outlet (f)
- Suitable for air, water & diesel
- Brass swivel joint
- Ideal for workshop installation



Bulky Item\*

**AF-RA-75600.100**  
RAASM 560 Series Manual Air/Water Bare Reel without Hose Guide

**AF-RA-756001**  
RAASM 560 Series Manual Reel Hose Guide including Holding Arm

**AF-RA-75601.100**  
RAASM 560 Series Manual Air/Water Bare Reel with Hose Guide





K&S Freighters - Workshop Fitout

ULTRAFLO

ultraflo

### Economy Hand Trolley

- Enables easy & convenient means moving 20L to 60L drums around a workshop
- Includes two rubber wheels & a drum locking device



**AF-AP-1300**  
20L - 60L Hand Drum Trolley

ULTRAFLO

ultraflo

### Heavy Duty Hand Trolley

- Sturdy drum trolley suitable for both oil & grease drum 20L to 60L
- Complete with chain for holding drum in place



**AF-AP-1303**  
Heavy Duty Hand Trolley 20L to 60L Drums

ULTRAFLO

ultraflo

### Heavy Duty 205L Oil Drum Trolley

- 3 Wheel low level drum trolley
- Suitable for both oil & grease drums (205L or 180kg)
- Solid rubber tyres with rear swivel & locking brake
- Chain to secure drum
- Pump or hose reel can be fitted using optional brackets



**AF-AP-1305**  
HD 3 Wheel Drum Trolley 180kg - 205L Drums

**AF-AP-1306**  
HD 4 Wheel Drum Trolley 180kg - 205L Drums

ULTRAFLO

ultraflo

### Drum Dollies

- Provides effective means of moving drums throughout the workshop
- Industrial quality steel construction with heavy duty casters
- Gives increased mobility & reduces physical effort & drum handling
- OHS friendly



**AF-AP-4325**  
HD 20L - 20kg Drum Dolly

**AF-AP-3325**  
HD 60L - 60kg Drum Dolly

**AF-AP-2325**  
HD 205L - 180kg Drum Dolly

ULTRAFLO

ultraflo

### LL Series 205L Drum Spill Pallets

- Designed for temporary or secondary storage and to improve workplace safety, housekeeping and protection of the environment
- Economical and light-weight but tough and durable
- Convenient as easy forklift access points ensures portability
- 2 Drum weight & dimensions: 19kg 700mm (L) x 1300mm (W) x 300mm (H)
- 4 Drum weight & dimensions: 36kg 1300mm (L) x 1300mm (W) x 300mm (H)



**AF-SC-205LL2D**  
ULTRAFLO LL Series Poly 2 Drum Spill Pallet

**AF-SC-205LL4D**  
ULTRAFLO LL Series Poly 4 Drum Spill Pallet

**ULTRAFLO**
**LL Series 1000L  
IBC Spill Pallets**

- Cost effective & space saving solution without compromising quality
- Single IBC Bund capacity: 1200L
- Dual IBC Bund Capacity: 1800L
- Single IBC Spill Pallet weight & dimensions: 80kg, 1680mm (L) x 1680mm (W) x 750mm (H)
- Dual IBC Spill Pallet weight & dimensions: 110kg, 1300mm (L) x 2340mm (W) x 750mm (H)



**AF-SC-1IBCLL**  
ULTRAFLO LL Series Poly Single IBC Spill Pallet

**AF-SC-2IBCLL**  
ULTRAFLO LL Series Poly Dual IBC Spill Pallet

**LOXEAL**
**Liquid Adhesive**

- Anaerobic adhesive, fast curing, medium strength thread sealant for metal joints
- Replaces PTFE tape & yarn
- Provides instant sealing against low pressure or against high pressure within 1 hour
- Seals against gas, air, water, LPG, hydrocarbons, oils & many chemicals including refrigerants



**AF-LX58-10 100**  
Loxal 58-10 Thread Sealing 100mL

**ULTRAFLO**
**Drum Wrench**

- Industrial grade bronze alloy drum wrench
- Designed to fit into most 2" & 3/4" drum plugs
- Wrench is hardened & tempered for increased strength
- Compact design for easy storage



**AF-AP-2315**  
ULTRAFLO Drum Wrench

**A-FLO**
**205L-180kg  
Drum Cradle**

- For ease of moving, safe storage & efficient decanting of 205L drums
- Ideal for workshops & other industrial environments
- HD construction with maximum capacity of 495kg
- Lifting handle also included
- Drum not included



**AF-AP-7425-2**  
HD 205L-180kg Drum Cradle

**A-FLO**
**Drum Lifter**

- Designed for lifting 205 litre (44 gallon) drums with closed head drums or drums with lids
- Must be lifted in the vertical position
- Black in colour
- Unit weights 5kg
- WLL 500kgs



**AF-AP-DL200-2**  
Dual Arm Vertical Drum Lifter

**AF-AP-DL200-3**  
Triple Arm Vertical Drum Lifter

A-FLO



### Oil Absorbent

- Is an all-natural, environmentally friendly product with no free crystalline silica
- Non-toxic in unused state
- Absorbs most liquids including acids, alkalis, oils, chemicals & petroleum products. Also absorbs vapors & fumes
- Can be used as a sweeping compound, removing traces of oil and chemicals on concrete and asphalt.



**AF-ZS-10**  
Z-Sorb 10L Industrial Oil Absorbent Pack - 7kg

**AF-ZS-22**  
Z-Sorb 22L Industrial Oil Absorbent Pack - 15kg

A-FLO



### Oil & Fuel Pads

- Perforated along the centre allowing them to be easily divided so you can get the right size pad for the spill & assist in placing in smaller & confined spaces.
- 200GSM (Pack of 200)
- 300GSM (Pack of 100)
- 410 x 460mm



**AF-UF-60020P**  
200GSM Oil & Fuel Pads (200 pack)

**AF-UF-50020P**  
300GSM Oil & Fuel Pads (100 pack)

A-FLO

### Spill Kit Bags

- Spill Kits are in a compact hi-vis bag, small enough to store in truck cabins, toolboxes, behind a door or in laboratory cupboards
- Available in General Purpose or Oil & Fuel Spill Options
- Available size in 40L, 50L and 80L



**AF-SC-40LGSK**  
A-FLO 40 Litre Oil & Fuel Spill Kit

**AF-UF-400FSK**  
A-FLO 40 Litre Oil & Fuel Spill Kit

**AF-SC-50LGSK**  
A-FLO 50 Litre Oil & Fuel Spill Kit

**AF-UF-500LOSK**  
A-FLO 50 Litre Oil & Fuel Spill Kit

**AF-UF-50LCSK**  
A-FLO 50 Litre Chemical Spill Kit

**AF-UF-80LGSK**  
A-FLO 80 Litre Oil & Fuel Spill Kit

**AF-UF-80LOSK**  
A-FLO 80 Litre Oil & Fuel Spill Kit

A-FLO

### Large Oil & Fuel Spill Kit Bins

- Bins are the best available in terms of capacity & fast response
- Available size in 120L & 240L
- Refill kits available



**AF-SC-120B-GPSK**  
A-FLO 120 Litre Budget General Purpose Spill Kit

**AF-SC-120GPOSK**  
A-FLO 120 Litre Premium General Purpose Spill Kit

**AF-UF-1200FSK**  
A-FLO 120 Litre Budget Oil & Fuel Spill Kit

**AF-SC-120LOSK**  
A-FLO 120 Litre Premium Oil & Fuel Spill Kit

**AF-UF-1200FSK-R**  
A-FLO 120 Litre Oil & Fuel Spill Kit - Refill Kit


**AF-SC-240B-GPSK**  
A-FLO 240 Litre Budget General Purpose Spill Kit

**AF-SC-240GPOSK**  
A-FLO 240 Litre Premium General Purpose Spill Kit

**AF-UF-2400FSK**  
A-FLO 240 Litre Budget Oil & Fuel Spill Kit

**AF-SC-240LOSK**  
A-FLO 240 Litre Premium Oil & Fuel Spill Kit

**AF-UF-2400FSK-R**  
A-FLO 240 Litre Oil & Fuel Spill Kit - Refill Kit



## A-FLO EQUIPMENT WARRANTY & RETURNS POLICY

### W Warranty

Your A-FLO Equipment supplied product is warranted to the original user against defects in workmanship or materials under normal use for a period of 12 months and RAASM 10 year after purchase date. Any products which are deemed to be defective in material and workmanship and are returned to A-FLO Equipment will be repaired or replaced at A-FLO Equipment's discretion.

The warranty does not cover damage or failure which A-FLO Equipment decides has arisen from misuse, abrasion, corrosion, negligence, accidental damage, faulty installation or tampering. If an inspection by A-FLO Equipment discloses no defect in material or workmanship, repair or replacement will be made at customary charges.

A-FLO Equipment has made a diligent effort to accurately illustrate and describe its products in all its literature. However, such illustrations and descriptions are not a warranty.

The purchaser shall give written notice of any claim to A-FLO Equipment within ten days after discovery of any alleged defect.

Shipping cost will only be credited by A-FLO Equipment if the product is deemed valid of warranty. Return shipping costs will be charged if the product does not meet conditions of warranty.

A-FLO Equipment will not be liable for consequential damages, losses, delays, labour costs or any other expense directly or indirectly arising from use of the product, its liability being expressly limited to the replacement or repair of any defective product or an allowance of credit therefore, the remedy and recovery of the purchaser on any claim against A-FLO Equipment, whether based on contract of this warranty or any alleged negligence shall be as stated and limited herein and shall be exclusive.

### C Conditions Of Sale

- All prices shown do not include GST or freight.
- Orders may incur a delivery charge which will be notified at time of order.
- All prices are subject to change without notice.
- All orders are subject to A-FLO Equipment Terms of Trade (available on request).
- Errors and Omissions excepted

### G Goods Return Policy

- Returns are subject to A-FLO Equipment discretionary 20% restocking fee and will only be accepted if the goods are received in an unused, in original packaging and condition in which the goods were received.
- Return of incorrectly supplied goods at A-FLO Equipment expense will be the carrier of our choice. We will not accept freight charges for goods returned by other means.
- Products specially purchased, manufactured, machined or cut to size to the customer's specifications are non-returnable.

**DISCLAIMER:** Although every care is taken to ensure accuracy and completeness in compiling this data no liability can be accepted by A-FLO Equipment Pty Ltd for damage or loss caused by any errors or omissions in the information given, either directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from A-FLO Equipment Pty Ltd. E & O E.

WE DON'T JUST OFFER  
GENERAL RANGE PRODUCTS...

# Complete Capability, One Partner

A-FLO Equipment is driven by four core pillars which centre around refuelling & lubrication. Providing integrated, end-to-end support across every aspect of your fluid handling & operational needs.



## GENERAL RANGE PRODUCTS

A-FLO's General Range delivers one of Australia's most comprehensive selections of fluid handling, storage, and dispensing equipment. Designed for reliability, safety, and seamless integration, this portfolio covers everything from pumps, reels, and tanks to filtration and waste systems. Backed by decades of industry expertise, fast national delivery, and expert support, our General Range ensures scalable, practical solutions for workshops, fleets, and industrial operations, available to quote and order online with ease.



## WORKSHOP FITOUTS & INSTALLATIONS

We don't just supply products, we build high-performance workshops from the ground up. A-FLO's Workshop Fitouts & Installations service combines turnkey project management, premium equipment, and custom-built systems tailored to your site's layout and operation. From concept and design to compliance, fabrication, and final install, we deliver future-proof, streamlined workspaces for leading automotive dealerships, mining operations, and transport depots nationwide.



## TANKS & SYSTEMS

Fuel and fluid storage starts here. A-FLO's Tanks & Systems division engineers fully compliant, bundled and customisable solutions for above and below-ground use. Whether it's diesel, AdBlue, oil, waste, or water, we design and deliver tanks that meet Australian standards and client-specific needs. With in-house specialists and full project capability, we provide complete turnkey systems for bulk handling, remote refuelling, and multi-fluid integration across all sectors.



## SERVICE & MAINTENANCE

A-FLO's Service & Maintenance programs are designed to support the long-term performance of your equipment, from routine tank inspections and compliance testing to pump repairs, replacement parts, and preventative servicing. Our national field team ensures issues are addressed quickly, safely, and with minimal disruption, reducing downtime, extending equipment life, and protecting your investment over time.



For more information, call our team  
or scan the QR code to visit our website



For more info, visit:  
[aflo.com.au/contact](https://aflo.com.au/contact)



**SHOP  
ONLINE**

Scan the QR code, or visit  
[aflo.com.au/login](https://aflo.com.au/login)



CAVALO - Workshop Fitout

**MAKING EVERY DROP COUNT**