



LUBESMART

OIL STORAGE SYSTEM A PRODUCT OF A-FLO EQUIPMENT

Make oil transfers smarter, faster, and safer. With 10 vibrant colour options, LUBESMART helps prevent cross-contamination, while keeping every transfer simple and efficient. The best-practice solution for all your oil handling needs: quick, easy, and hassle-free



OIL JUG

The LUBESMART Oil Jug is tough, reliable, and ready for heavy-duty use. Available in 3L, 5L, and 10L sizes, it works with any LUBESMART Lids. The wide-mouth design makes pouring and cleaning quick and easy, while the clear body lets you keep track of oil levels without the guesswork.



AF-LS-1003
LUBESMART 3 Litre Oil Jug



AF-LS-1005
LUBESMART 5 Litre Oil Jug



AF-LS-1010
LUBESMART 10 Litre Oil Jug

LIDS AND COLOURS

LUBESMART Lids are designed specifically for LUBESMART Oil Jug, with clear colour coding for quick and easy identification. Built to last, they won't warp, leak, bend or break, and feature a safe, simple dispensing system for hassle-free use.

COLOUR	UTILITY LID	STRETCH SPOUT	MINI SPOUT	STUMPY SPOUT
BLACK	AF-LS-100BK	AF-LS-200BK	AF-LS-300BK	AF-LS-400BK
RED	AF-LS-100RD	AF-LS-200RD	AF-LS-300RD	AF-LS-400RD
GREEN	AF-LS-100GR	AF-LS-200GR	AF-LS-300GR	AF-LS-400GR
YELLOW	AF-LS-100YL	AF-LS-200YL	AF-LS-300YL	AF-LS-400YL
D.BLUE	AF-LS-100DB	AF-LS-200DB	AF-LS-300DB	AF-LS-400DB
L.BLUE	AF-LS-100LB	AF-LS-200LB	AF-LS-300LB	AF-LS-400LB
ORANGE	AF-LS-100OR	AF-LS-200OR	AF-LS-300OR	AF-LS-400OR
PINK	AF-LS-100PK	AF-LS-200PK	AF-LS-300PK	AF-LS-400PK
GREY	AF-LS-100GY	AF-LS-200GY	AF-LS-300GY	AF-LS-400GY
WHITE	AF-LS-100WH	AF-LS-200WH	AF-LS-300WH	AF-LS-400WH



UTILITY LID



STRETCH SPOUT



MINI SPOUT



STUMPY SPOUT

STANDARD PUMP

Our LUBESMART Standard Pump is built for general-purpose lubrication tasks and is capable of handling fluids up to ISO 460 viscosity. This high-quality down-stroke discharge pump is ideal for accessing hard-to-reach and time-consuming top-up points, such as gearboxes and transmissions.

PART NO.

AF-LS-1020





LUBESMART

OIL STORAGE SYSTEM A PRODUCT OF A-FLO EQUIPMENT

3L OIL JUG W/ LIDS



FEATURES & BENEFITS:

- Works with any LUBESMART Lids
- Fully sealed design prevents lubricant contamination
- Durable HDPE construction with UV and anti-static resistant additives
- Convenient on/off breather switch helps reduce RSI risks
- Clear body to track of oil levels
- Wide-mouth design for a quick and easy pouring and cleaning

SPECIFICATION:

Dimension:

160mm (W) X 269mm (H)

Wide-Mouth Size:

120mm

Weight:

1 kg

Material:

Engineering Plastic

(NOT SUITABLE FOR USE WITH FUELS OR SOLVENTS)

Service Temperature:

80°C



AF-LS-1003MI*
LUBESMART 3L Oil Jug
w/ Mini Spout Lid



AF-LS-1003SC*
LUBESMART 3L Oil Jug
w/ Stretch Spout Lid



AF-LS-1003SP*
LUBESMART 3L Oil Jug
w/ Stumpy Spout Lid



AF-LS-1003UT*
LUBESMART 3L Oil Jug
w/ Utility Lid

*OTHER COLOURS AVAILABLE

-BK	-GY	-WH	-RD	-PK
-OR	-YL	-GR	-DB	-LB



LUBESMART

OIL STORAGE SYSTEM A PRODUCT OF A-FLO EQUIPMENT

5L OIL JUG W/ LIDS



FEATURES & BENEFITS:

- Works with any LUBESMART Lids
- Fully sealed design prevents lubricant contamination
- Durable HDPE construction with UV and anti-static resistant additives
- Convenient on/off breather switch helps reduce RSI risks
- Clear body to track of oil levels
- Wide-mouth design for a quick and easy pouring and cleaning

SPECIFICATION:

Dimension:

196mm (W) X 271mm (H)

Wide-Mouth Size:

120mm

Weight:

1 kg

Material:

Engineering Plastic

(NOT SUITABLE FOR USE WITH FUELS OR SOLVENTS)

Service Temperature:

80°C



AF-LS-1005MI*
LUBESMART 5L Oil Jug
w/ Mini Spout Lid



AF-LS-1005SC*
LUBESMART 5L Oil Jug
w/ Stretch Spout Lid



AF-LS-1005SP*
LUBESMART 5L Oil Jug
w/ Stumpy Spout Lid



AF-LS-1005UT*
LUBESMART 5L Oil Jug
w/ Utility Lid



AF-LS-1005P*
LUBESMART 5L Oil Jug
w/ Utility Lid and Pump

*OTHER LID COLOURS AVAILABLE

-BK	-GY	-WH	-RD	-PK
-OR	-YL	-GR	-DB	-LB

*PUMP COLOURS AVAILABLE

-BK	-YL	-RD	-GR	-DB
-----	-----	-----	-----	-----



LUBESMART

OIL STORAGE SYSTEM A PRODUCT OF A-FLO EQUIPMENT

10L OIL JUG W/ LIDS



FEATURES & BENEFITS:

- Works with any LUBESMART Lids
- Fully sealed design prevents lubricant contamination
- Durable HDPE construction with UV and anti-static resistant additives
- Convenient on/off breather switch helps reduce RSI risks
- Clear body to track of oil levels
- Wide-mouth design for a quick and easy pouring and cleaning

SPECIFICATION:

Dimension:
252mm (W) X 348mm (H)

Wide-Mouth Size:
120mm

Weight:
1 kg

Material:
Engineering Plastic
(NOT SUITABLE FOR USE WITH FUELS OR SOLVENTS)

Service Temperature:
80°C



AF-LS-1010MI*
LUBESMART 10L Oil Jug
w/ Mini Spout Lid



AF-LS-1010SC*
LUBESMART 10L Oil Jug
w/ Stretch Spout Lid



AF-LS-1010SP*
LUBESMART 10L Oil Jug
w/ Stumpy Spout Lid



AF-LS-1010UT*
LUBESMART 10L Oil Jug
w/ Utility Lid



AF-LS-1010P*
LUBESMART 10L Oil Jug
w/ Utility Lid and Pump

*OTHER LID COLOURS AVAILABLE

-BK	-GY	-WH	-RD	-PK
-OR	-YL	-GR	-DB	-LB

*PUMP COLOURS AVAILABLE

-BK	-YL	-RD	-GR	-DB
-----	-----	-----	-----	-----