





READY FOR A NEW GENERATION OF PUMPS?

07.24 | EN MADE IN ITALY



THE PROBLEMS TYPICALLY ASSOCIATED WITH REFUELLING FROM TRANSPORTABLE **TANKS**

- Security: is the pump operated by a simple ON button, making it susceptible to unauthorised fuel withdrawals?
- Unknown withdrawals: are you in doubt about who has withdrawn fuel and when?
- Overheating: does the pump overheat when dispensing fuel to vehicles with large fuel tanks?
- Failures or malfunctions: has the pump suffered damage as a result of being connected to the wrong voltage?

PIUSI 3000 SUPREME IS THE SOLUTION!







Dedicated app

only to authorised users in possession of connection a security PIN

Multi-Battery Technology

Secure, controlled and Multi-voltage power supply Automatically reduces traceable fuel access, from 12V to 24V*, with protection in the event of with reversed polarity

Tecnologia Flow Control

the flow rate in the event of overheating. You can also reduce the flow rate manually, from an app, if you want to dispense fuel into small cans



^{*} The Piusi 3000 Supreme does not have the ability to monitor the battery and does not provide any type of protection for it.





THE EVOLUTION
OF PUMPS FOR
TRANSPORTABLE TANKS

PIUSI 3000 SUPREME is a fuel transfer pump with built-in control that makes it quick and safe for users to fill mobile tanks with diesel.

The PIUSI 3000 SUPREME combines new digital technologies with PIUSI's long and proven track-record in the design of fluid management systems such as pumps and flow meters.

This new pump is designed to dispense diesel, measure the volume dispensed, manage operator access and solve the problems typically faced by users of transportable tanks.





PIUSI is Europe's leading manufacturer of fluid management systems (for diesel, petrol and AdBlue®) and one of the sector's major players at the international level. Founded in 1953, the company operates in 135 countries worldwide, covering global markets with certified, high-quality products made in Italy.





EASY TO INSTALL, EVEN EASIER TO USE

The PIUSI 3000 SUPREME is a compact, self-priming, vane pump with a flow rate of up to 50 L/min. Its compact design makes it easy to install on any type of tank. With its lean, modern, analytical operation, the PIUSI 3000 SUPREME makes everyday work more efficient, more secure and more versatile.

For more structured systems, the SUPREME can be integrated with the B.SMART management system, making it possible to connect and manage multiple pumps together, for integrated control of all your company's systems.


TECHNICAL DATA

| Vane pump |
|--|
| 50 l/min (independent from the power supply voltage) |
| S1-Continuous duty |
| IP55 |
| 1.5 bar |
| All voltages between 12V and 24V* |
| ±0.5% |
| |

^{*} The Piusi 3000 Supreme does not have the option to monitor the battery and does not provide any type of protection for it.











THREE VERSIONS COVERING A FULL RANGE OF NEEDS

| | SITE DIMENSIONS |
|--|---|
| | 2 or more pumps |
| | ⇔ B.5M4RT |
| Integrated flow control | \checkmark |
| Login with security PIN | \checkmark |
| Delivery time-out | \checkmark |
| Preset function | \checkmark |
| User Management | Up to 500 users for each dispenser, unlimited in the system |
| Dispense history | Filterable report by date |
| Dispense calendar | in the webapp with filterable report by date |
| Total dispensed | Filterable report by date |
| In-app reminder/To do list | - |
| Level indicator managemennt | with the TANK WATCHDOG add-on |
| Consumption management of vehicles and users | with the FUEL ECONOMY add-on |
| Geolocation of dispenses | with the MAPLY add-on |

It is possible to upgrade to the higher version even after purchasing the pump



TECHNICAL DATA

| PIUSI 3000 SUPREME | | | | | | |
|--------------------|---|---------------|------------------|---------------|-----|----------------------|
| CODE | DESCRIPTION | FLUID TYPE | PORTATA L/MIN | DC VOLTAGE | DC | FUSE CAPACITY AMPERE |
| AF-FP-251H00 | PIUSI 3000 SUPREME 12/24V Diesel Pump Horizonal Flow C/w 10 Users | DIESEL | 50 | FROM 12 TO 24 | YES | 25A |
| AF-FP-251V00 | PIUSI 3000 SUPREME 12/24V Diesel Pump Vertical Flow C/w 10 Users | DIESEL | 50 | FROM 12 TO 24 | YES | 25A |

ADD-ON

| ADD-ON | | | | | |
|------------------|-------------------------------------|--|--|--|--|
| CODE | DESCRIPTION | | | | |
| AF-FP-770M20-MAP | PIUSI Supreme Maply Geo Positioning | | | | |
| AF-FP-770F20 | PIUSI Supreme Fuel Economy | | | | |
| AF-FP-F770L20 | PIUSI Supreme Watchdog | | | | |





For more information, call our team or scan the QR code to visit our website



For more info, visit: aflo.com.au/contact



SHOP ONLINE

Scan the QR code, or visit aflo.com.au/login

MAKING EVERY DROP COUNT